Index

Orig. Art. Original Article *Clin. Rec.* Clinical Record *Path. Focus* Pathology in Focus *Rad. Focus* Radiology in Focus
Short Comm. Short Communication

AUTHORS

Adlington, P., Anscombe, A. J. and Joshi, J. B. Influence of the mode of preparation on the distortion and consistency of homologous costal cartilage implants. *Orig. Art.*, 572
Agarwal, S. P., Sharma, H. and Dayal, D. Nasal myiasis: Review of 10 years' experience. *Orig. Art.*, 489
Akemoto, Y., Umeda, R. and Takimoto, T. Pharyngeal cyst arising from second branchial cleft. *Clin. Rec.*, 964
Åkerlund, A., Klint, T., Olsen, L. and Rundcrantz, H. Nasal decongestant effect of Oxymetazolone in the common cold: An objective dose-response study in 106 patients. *Orig. Art.*, 743
Al Khalifa, S., Raj, S. S., Saeed, T. and Paulose, K. O. Pilonidal sinus of the nose. *Clin. Rec.*, 1210
Al Khalifa, S., Shenoy, P., Sharma, R. K. and Paulose, K. O. Maxillary antral lavage—infiltration and surface anaesthesia compared. *Orig. Art.*, 582
Al Khalifa, S., Shenoy, P., Sharma, R. K. and Paulose, K. O. Myotic infection of the ear (otomycosis). *Orig. Art.*, 30
Alajmo, E., Polli, G. and De Meester, W. Total parotidectomy—a routine treatment of parotid gland swellings? *Orig. Art.*, 181
Albizzati, C. and Mills, R. Out-patient examination of the upper airway: A survey of current practice in the U.K. *Orig. Art.*, 272
Alun-Jones, T. and Hill, J. Eyelid necrosis complicating acute maxillary sinusitis. *Clin. Rec.*, 413
Alun-Jones, T. and Koay, C. E. Pharyngeal paralysis due to botulinum toxin injection. *Clin. Rec.*, 698
Alun-Jones, T. and Morrissey, M. S. C. A case of jaw locking. *Clin. Rec.*, 419
Amin, M., Wilson, J. A. and Maran, A. G. D. Radical neck dissection: A 19 year experience. *Orig. Art.*, 760
Anilakumari, C. K., Krishnamoorthy, S., Sreedharan, V. P., Koshy, P. and Kumar, S. Culture of Rhinosporidium seeberi: Preliminary report. *Orig. Art.*, 178
Annis, J. A. D., Phelps, P. D. and Croft, C. B. A revealing C.T. examination in nasopharyngeal carcinoma. *Rad. Focus*, 801
Anscombe, A. J., Joshi, J. B. and Adlington, P. Influence of the mode of preparation on the distortion and consistency of homologous costal cartilage implants. *Orig. Art.*, 572
Appel, B., Marquet, J., Declau, F., Jacob, W. and Dorrine, W. Early ossification within the human fetal otic capsule: morphological and microanalytical findings. *Orig. Art.*, 1113
Ars, B. Organogenesis of the middle ear structures. *Orig. Art.*, 16
Aryya, N. C., Jain, R. K. and Gupta, O. P. Cysticercosis of the tongue. *Path. Focus*, 1227
Asakura, K., Sambe, S., Kataura, A., Enomoto, K. and Kawai, N. Metastatic squamous cell carcinoma of the paranasal sinuses from a primary squamous cell carcinoma of the urinary bladder. *Clin. Rec.*, 602
Asami, K., Yokoi, H., Hattori, T., Rao, A. J. and Yanagita, N. Metastatic gallbladder carcinoma of the palatine tonsil. *Clin. Rec.*, 211
Ataya, N. L. Sensorineural deafness associated with IgA nephropathy. *Clin. Rec.*, 412
Austin, D. F. Staging in cholesteatoma surgery. *Orig. Art.*, 143

Bacon, M. P., Chevretton, E. B., Slack, R. W. T. and MacLeod, T. I. F. Verrucous carcinoma of the maxillary antrum. *Clin. Rec.*, 415
Baer, S. and Davis, J. Cystic hygroma presenting in adulthood. *Clin. Rec.*, 976
Bagger-Sjöback, D. and Takumida, M. Effects of amiloride on the endolymphatic sac. *Orig. Art.*, 466
Bagger-Sjöbäck, D., Harada, Y., Takumida, M. and Wersäll, J. Observation of the glycocalyx of the organ of Corti: An investigation by electron microscopy in the normal and gentamicin-treated guinea pig. *Orig. Art.*, 133
Bagger-Sjöbäck, D., Harada, Y., Wersäll, J., Takumida, M. and Fredelius, L. Effect of acoustic overstimulation on the glycocalyx and the ciliary interconnections in the organ of Corti: High resolution scanning electron microscopic investigation. *Orig. Art.*, 1125
Bagger-Sjöback, D., Rask-Anderson, H., Filipo, R. and Barbara, M. Does severe water deprivation affect the inner ear? *Orig. Art.*, 22
Bagger-Sjöbäck, D., Wersäll, J., Takumida, M. and Urquiza, R. Effect of gentamicin on the carbohydrates of the vestibular end organs: An investigation by the use of FITC-lectins. *Orig. Art.*, 357
Baguley, D., Evans, R. A., Hardy, D. G. and Moffat, D. A. Mastoid ache in acoustic neuroma. *Orig. Art.*, 1043
Baguley, D. M., Croxson, G. R., Moffat, D. A. and Hardy, D. G. Role of post-operative electroneuronography in predicting facial nerve recovery after acoustic neuroma removal. *Orig. Art.*, 60
Baguley, D. M., Hardy, D. G., Moffat, D. A. and Croxson, G. R. Facial nerve recovery after acoustic neuroma tumour removal. *Orig. Art.*, 169
Baguley, D. M., Hardy, D. G., Moffat, D. A. and Harries, M. L. L. Unterberger's stepping test in acoustic neuroma. *Orig. Art.*, 839
Baguley, D. M., Hardy, D. G., Tsui, Y. N. and Moffat, D. A. Contralateral auditory brainstem response abnormalities in acoustic neuroma. *Orig. Art.*, 835
Baguley, D. M., Moffat, D. A. and Hardy, D. G. Strategy and benefits of acoustic neuroma searching. *Orig. Art.*, 51
Baguley, D. M., Moffat, D. A. and Harries, M. L. L. Hearing aids—a case for review. *Orig. Art.*, 850
Baguley, D. M., Moffat, D. A., Evans, R. A. and Harries, M. A. Reliability of the House and Brackmann grading system for facial palsy. *Orig. Art.*, 1045
Baguley, D., Moffat, D. A. and McFerran, D. J. Aberrant reinervation of the stapedius muscle following facial palsy. *Clin. Rec.*, 205
Bahgat, Y. S., El-Ghazzawy, E., Elwany, S. and Talaat, A. M. Nasopharyngeal bacterial flora before and after adenoidectomy. *Orig. Art.*, 372
Bais, A. S. and Uppal, K. Tonsillar microflora—superficial surface *vs* deep. *Orig. Art.*, 175
Bais, A. S., Uppal, K. and Logani, K. B. Congenital cysts of the larynx. *Clin. Rec.*, 966
Banerjee, A., Subba Rao, K. S. V. K. and Nachiappan, M. Perforated telescoping double catheter for uncontaminated endobronchial sampling—a new technique. *Orig. Art.*, 310
Baraka, M. E. A modified incision for the trans-septal trans-sphenoidal approach to the pituitary. *Orig. Art.*, 670
Barbara, M. Carbohydrate content of the endolymphatic sac: A histochemical and lectin-labelling study in the mongolian gerbil. *Orig. Art.*, 137
Barbara, M., Bagger-Sjöback, D., Rask-Anderson, H. and Filipo, R. Does severe water deprivation affect the inner ear? *Orig. Art.*, 22
Barra, E., Boscaino, A., Gentile, R., Di Prisco, B. and De Rosa, G. Fibromatosis of the larynx in the adult. *Clin. Rec.*, 1219
Barr, G. D. and MacDonald, I. Management of achalasia and laryngo-tracheal compression. *Clin. Rec.*, 713
Baruah, A. K. and Osammor, J. Y. Unexplained neurological problems after mastoid surgery. *Orig. Art.*, 269

Bar-Ziv, J., Zohar, Y., Djaldetti, M., Cohen, A. M., Talmi, Y. P. and Floru, S. Ossification of the auricle in Addison's disease. *Rad. Focus*, 885
Bar-Ziv, J., Zohar, Y., Finkelstein, Y., Talmi, Y. P. and Rubel, Y. Otitis media with effusion as a presenting symptom of chronic sinusitis. *Orig. Art.*, 827
Basu, A. and De, S. K. Unusual presentation of neurilemmoma in the cerebellopontine angle. *Clin. Rec.*, 508
Batch, A. J. G. and Thomson, H. G. Flexible oesophagogastroscopy in otolaryngology. *Orig. Art.*, 399
Batsakis, J. G., Bruner, J. M., Cleary, K. R. and Smith, F. B. Immunocytochemical identification of HIV (p24) antigen in parotid lymphoid lesions. *Orig. Art.*, 1063
Batsakis, J. G., Luna, M. A., Goepfert, H., Tortoledo, M. E. and El-Naggar, A. D.N.A. content and proliferative activity of myoepitheliomas. *Orig. Art.*, 1192
Batsakis, J. G., Regezi, J. A., Luna, M. A. and El-Naggar, A. Histogenesis of salivary gland neoplasms: a postulate with prognostic implications. *Orig. Art.*, 939
Batsakis, J. G., Tortoledo, M. E., del Junco, G. W. and Luna, M. A. Carcinomas ex monomorphic adenoma of salivary glands. *Orig. Art.*, 756
Beggs, D. and Morgan, W. E. Spontaneous perforation of cervical oesophagus associated with oesophageal web. *Clin. Rec.*, 537
Ben David, J., Podoshin, L. and Fradis, M. Ototoxicity of ear drops in patients suffering from chronic otitis media. *Orig. Art.*, 46
Bennett, J. D. C., Evans, J. N. G., Pambakian, H. and Saldanha, C. B. R. Metastasis to the temporal bone, secondary to carcinoma of the bladder. *Clin. Rec.*, 599
Berger, G. Nature of spontaneous tympanic membrane perforation in acute otitis media in children. *Orig. Art.*, 1150
Bernheim, J. and Sadé, J. Histopathology of the soft parts in 50 patients with malignant otitis externa. *Orig. Art.*, 366
Berridge, D. C., Hitchcock, A., Bradley, P. J. and Kapila, L. Second primary tumour following retinoblastoma. *Clin. Rec.*, 690
Bevan, K. and Griffiths, M. V. Chronic aspiration and laryngeal competence. *Orig. Art.*, 196
Bevan, K., Griffiths, M. V. and Morgan, M. H. Cricothyroid muscle paralysis: its recognition and diagnosis. *Orig. Art.*, 191
Bhanu, T. S. and Rupa, V. Laryngeal tuberculosis in the eighties—an Indian experience. *Orig. Art.*, 864
Bhanu, T. S., Chandi, S. M., Rupa, V. and Rajshekhar, V. Primary chondroid chordoma of the base of the petrous temporal bone. *Clin. Rec.*, 771
Bhanu, T. S., Date, A., Rupa, V. and Mathew, J. Paediatric laryngeal tuberculosis presenting with stridor. *Clin. Rec.*, 787
Bhanu, T. S., Kurien, M. and Thomas, K. Hearing threshold in patients with diabetes mellitus. *Orig. Art.*, 164
Bhatia, N., Pant, M. C., Mishra, S. C. and Shukla, G. K. A rational classification of angiofibromas of the post nasal space. *Orig. Art.*, 912
Bhatia, P. L. Aural Schistosomiasis mansoni. *Clin. Rec.*, 596
Bingham, B. J. G. and Griffiths, M. V. Sublabial rhinotomy with septal transfixion as an approach to the nasal fossa, paranasal sinuses and nasopharynx. *Orig. Art.*, 661
Blanshard, J. D. and Veitch, D. Ossifying lipoma. *Clin. Rec.*, 429
Blanshard, J., Veitch, D. and Rogers, M. Parapharyngeal mass presenting with sleep apnoea. *Clin. Rec.*, 961
Bleach, N. R., Keen, C. E. and Dixon, J. A. Superficial malignant schwannoma of the face; a case for early radical surgery. *Clin. Rec.*, 316
Bonding, P., Charabi, S. and Engel, P. Myxoid tumours in the temporal bone. *Clin. Rec.*, 1206
Booth, C. Is research worthwhile? *Orig. Art.*, 351
Booth, J. B., Morrison, G. A. J. and Butler, P. AIDS to the post nasal space. *Rad. Focus*, 1091
Booth, J. B. Norris Wolfenden—A footnote. *Orig. Art.*, 1014
Boscaino, A., Gentile, R., Di Prisco, B., De Rosa, G. and Barra, E. Fibromatosis of the larynx in the adult. *Clin. Rec.*, 1219
Boss, J. H., Fradis, M., Podoshin, L., Goldstein, Y. and Miselvich, I. Cervical Echinococcal hydatid cyst. *Clin. Rec.*, 435
Boss, J. H., Fradis, M., Podoshin, L., Simon, J., Lazarov, N. and Shagrawi, I. Combined treatment of large head and neck capillaro-venous malformation by a fibrosing agent. *Orig. Art.*, 390
Boss, J. H., Podoshin, L., Fradis, M., Goldstein, J. and Misselevitch, I. Intrahyoid thyroglossal cyst. *Clin. Rec.*, 539
Boysen, M., Wetteland, P., Hovig, T. and Brandtzaeg, P. Neuroendocrine carcinoma of the lip (Merkel cell tumour) examined by electron microscopy and immunohistochemistry. *Clin. Rec.*, 519
Bradley, P. J. and Cumberworth, V. L. Atypical thyroglossal duct cyst. *Clin. Rec.*, 700
Bradley, P. J. and Skinner, D. W. Psychogenic stridor. *Orig. Art.*, 383
Bradley, P. J., Cumberworth, V. L., Narula, A. and MacLennan, K. A. Mucoepidermoid carcinoma of the larynx. *Clin. Rec.*, 420
Bradley, P. J., Kapila, L., Berridge, D. C. and Hitchcock, A. Second primary tumour following retinoblastoma. *Clin. Rec.*, 690
Bradley, P. J., Narula, A., Harvey, L., Holland, I., Morgan, D. A. and MacLennan, K. Haemangiopericytoma of the larynx. *Path. Focus*, 234
Brahe-Pedersen, C. Traumatic middle ear lesions: fracture of the malleus handle, aetiology, diagnosis and treatment. *Orig. Art.*, 901
Brain, D. J., Nigam, A. and Campbell, J. B. The Birmingham and Midland Ear, Nose and Throat Hospital: An obituary. *Orig. Art.*, 815
Brandrick, J. T. Traumatic CSF fistula presenting late as a middle ear effusion. *Clin. Rec.*, 97
Brandtzaeg, P., Boysen, M., Wetteland, P. and Hovig, T. Neuroendocrine carcinoma of the lip (Merkel cell tumour) examined by electron microscopy and immunohistochemistry. *Clin. Rec.*, 519
Bredenkamp, J. K., Hutcherson, R. W., Buchholtz, B. D. and Mickel, R. A. Two-stage temporalis flap reconstruction for facial paralysis. *Orig. Art.*, 672
Bridger, M. W., Violaris, N. S. and Chang, S. Securing of section drains in head and neck surgery. *Short Comm.*, 869
Brightwell, A. P., Rhys Williams, S. and Robinson, P. J. Management of the inflammatory aural polyp. *Orig. Art.*, 1040
Britton, P. D. Effect of respiration on nasopharyngeal radiographs when assessing adenoidal enlargement. *Orig. Art.*, 71
Brockbank, M. J., Veitch, D. Y. and Thomson, H. G. Cerebrospinal fluid in the rhinitis clinic. *Orig. Art.*, 281
Browne, B., Dawes, P. and Kasanzew, M. Tetanus presenting as dysphagia. *Clin. Rec.*, 229
Browning, G. G., Swan, I. R. C. and Chew, K. K. Clinical role of informed tests of hearing. *Orig. Art.*, 7
Bruner, J. M., Cleary, K. R., Smith, F. B. and Batsakis, J. G. Immunocytochemical identification of HIV (p24) antigen in parotid lymphoid lesions. *Orig. Art.*, 1063
Buchholtz, B. D., Mickel, R. A., Bredenkamp, J. K. and Hutcherson, R. W. Two-stage temporalis flap reconstruction for facial paralysis. *Orig. Art.*, 672
Bull, P. D., Wright, R. G. and Variend, S. Granular cell tumour of the larynx in childhood. *Clin. Rec.*, 880
Butler, P., Booth, J. B. and Morrison, G. A. J. AIDS to the post nasal space. *Rad. Focus*, 1091
Butler, S. and Grossenbacher, R. Cholesterol granuloma of the paranasal sinuses. *Clin. Rec.*, 776

Calabrese, V., Cifola, M., Pareschi, R., Parma, A. and Sonzogni, A. Primary malignant melanoma of the oral cavity. *Path. Focus.*, 887
Campbell, J. B., Brain, D. J. and Nigam, A. The Birmingham and Midland Ear, Nose and Throat Hospital: An obituary. *Orig. Art.*, 815
Capper, J. W. R. and Radstone, D. J. Adenocarcinoma of the ethmoid sinuses in High Wycombe, 1986. *Orig. Art.*, 1050
Capper, J. W. R., Habashi, S. and Padel, A. F. Carcinoma of the laryngeal saccule: A biopsy technique to make a difficult diagnosis. *Clin. Rec.*, 692

Carder, P., Sellar, R. J., Sharp, J. F. and Kerr, A. I. G. Facial schwannoma without facial paralysis. *Clin. Rec.*, 973
Cert, D. N., Gibbin, K., O'Callaghan, C. and Dryden, S. Asthma therapy and a tracheostomy. *Clin. Rec.*, 427
Ceryan, K., Küpelioğlu, A. A. and Günbay, M. U. Metastatic renal carcinoma to the parotid gland. *Clin. Rec.*, 417
Cetik, F., Ozsahinoglu, C., Kivanc, F. and Secinti, E. Alveolar soft part sarcoma of the tongue. *Clin. Rec.*, 952
Chandi, S. M., Rupa, V., Rajshekhar, V. and Bhanu, T. S. Primary chondroid chordoma of the base of the petrous temporal bone. *Clin. Rec.*, 771
Chandrachud, H. R., Chaurasia, M. K. and Sinha, K. P. Subtotal laryngectomy with myomucosal shunt. *Orig. Art.*, 504
Chandy, M. J. and Rajshekar, V. Non-traumatic intracavernous carotid aneurysm presenting with epistaxis. *Clin. Rec.*, 425
Chang, S., Bridger, M. W. and Violaris, N. S. Securing of section drains in head and neck surgery. *Short Comm.*, 869
Charabi, S., Engel, P. and Bonding, P. Myxoid tumours in the temporal bone. *Clin. Rec.*, 1206
Chaurasia, M. K., Sinha, K. P. and Chandrachud, H. R. Subtotal laryngectomy with myomucosal shunt. *Orig. Art.*, 504
Cheesman, A. D., Golding-Wood, D. G. and Quiney, R. E. Carcinoma of the ear: Retrospective analysis of 61 patients. *Orig. Art.*, 653
Cherry, J. R. and El-Kholy, A. A. Primary cholesteatoma of the mastoid presenting as cervical abscess. *Clin. Rec.*, 92
Cherry, J. R., Dalziel, M. and Osammor, J. Y. Lingual abscess: the value of ultrasound in diagnosis. *Clin. Rec.*, 950
Chevretton, E. B., Slack, R. W. T., MacLeod, T. I. F. and Bacon, M. P. Verrucous carcinoma of the maxillary antrum. *Clin. Rec.*, 415
Chevretton, E., O'Reilly, B. J., Ryan, J. and Reynard, J. Malignant fibrous histiocytoma of the nasopharynx. *Clin. Rec.*, 1076
Chew, K. K., Browning, G. G. and Swan, I. R. C. Clinical role of informed tests of hearing. *Orig. Art.*, 7
Christmas, H., Padgam, N. and Mills, R. Has the increasing use of grommets influenced the frequency of surgery for cholesteatoma? *Orig. Art.*, 1034
Cifola, M., Pareschi, R., Parma, A., Sonzogni, A. and Calabrese, V. Primary malignant melanoma of the oral cavity. *Path. Focus.*, 887
Clarke, P. M., Dilkes, M., Maw, A. R. and Robson, A. K. Transmastoid extracranial repair of CSF leaks following acoustic neuroma resection. *Orig. Art.*, 842
Clayton, M. I., Rinon, R. P., Hanson, D. R. and Fenwick, J. D. Evaluation of recent experience in hypoglossal-facial nerve anastomosis in the treatment of facial palsy. *Orig. Art.*, 63
Cleary, K. R., Smith, F. B., Batsakis, J. G. and Bruner, J. M. Immunocytochemical identification of HIV (p24) antigen in parotid lymphoid lesions. *Orig. Art.*, 1063
Clements, M. R., Mistry, C. D., Keith, A. O. and Ramsden, R. T. Recovery from sensorineural deafness in Wegener's granulomatosis. *Clin. Rec.*, 515
Cocita, V. C., D'Amico, A. and Cusimano, F. Sensorineural hearing loss in chronic otitis media. *Orig. Art.*, 158
Cohen, A. M., Talmi, Y. P., Floru, S., Bar-Ziv, J., Zohar, Y. and Djaldetti, M. Ossification of the auricle in Addison's disease. *Rad. Focus*, 885
Cook, J. A. and Dawkins, R. S. Airgun pellet injuries of the neck. *Clin. Rec.*, 432
Cook, P. and Terry, R. M. Haemorrhage during minitracheotomy: Reduction of risk by altered incision. *Clin. Rec.*, 207
Cox, T. C. S., Shotton, J. C. and Ludman, H. Temporal bone venous anomaly of surgical siginificance. *Clin. Rec.*, 101
Cox, T. C. S., Strong, A. J. and Gleeson, M. J. Aneurysm of the anterior inferior cerebellar artery mimicking an intracanalicular acoustic neuroma. *Clin. Rec.*, 107
Croft, C. B. and Fisher, E. W. Antroscopy: Current practice—A survey of U.K. otolaryngologists. *Orig. Art.*, 747
Croft, C. B., Annis, J. A. D. and Phelps, P. D. A revealing C.T. examination in nasopharyngeal carcinoma. *Rad. Focus*, 801
Croft, C. B., Fisher, E. W. and Whittet, H. B. Symptomatic mucosal cysts of the maxillary sinus: antroscopic treatment. *Orig. Art.*, 1184
Croft, C. B., Howard, D. J., Rhys Evans, P., Jayne, D. and Hoare, T. J. Wegener's granulomatosis, subglottic stenosis and anti-neutrophil cytoplasm antibodies. *Orig. Art.*, 1187
Croxson, G. R., Baguley, D. M., Hardy, D. G. and Moffat, D. A. Facial nerve recovery after acoustic neuroma tumour removal. *Orig. Art.*, 169
Croxson, G. R., Moffat, D. A., Hardy, D. G. and Baguley, D. M. Role of post-operative electroneuronography in predicting facial nerve recovery after acoustic neuroma removal. *Orig. Art.*, 60
Cumberworth, V. L. and Bradley, P. J. Atypical thyroglossal duct cyst. *Clin. Rec.*, 700
Cumberworth, V. L., Narula, A., MacLennan, K. A. and Bradley, P. J. Mucoepidermoid carcinoma of the larynx. *Clin. Rec.*, 420
Curley, J. W. A. and Timms, M. S. Incidence of abnormality in routine vocal cord checks. *Orig. Art.*, 1057
Curry, A. R., Nahl, S. S. and Kent, S. E. Treatment of auricular haematoma by silicone rubber splints. *Orig. Art.*, 1146
Cusimano, F., Cocita, V. C. and D'Amico, A. Sensorineural hearing loss in chronic otitis media. *Orig. Art.*, 158

Dalziel, M., Osammor, J. Y. and Cherry, J. R. Lingual abscess: the value of ultrasound in diagnosis. *Clin. Rec.*, 950
D'Amico, A., Cusimano, F. and Cocita, V. C. Sensorineural hearing loss in chronic otitis media. *Orig. Art.*, 158
Damkaer, D. M. R. Norris Wolfenden M.D: The medical episode. *Orig. Art.*, 1005
Date, A., Rupa, V., Mathew, J. and Bhanu, T. S. Paediatric laryngeal tuberculosis presenting with stridor. *Clin. Rec.*, 787
Davidson, N. G. P. and Wilson, A. Tongue metastasis from carcinoma of the rectum. *Clin. Rec.*, 322
Davidsson, A., Hugosson, S., Tjellström, A., Svendsen, P. and Jacobsson, M. Aberrant intratympanic internal carotid artery: a potentially hazardous anomaly. *Clin. Rec.*, 1202
Davies, J. E., Semeraro, D., Knight, L. C. and Griffiths, G. J. Middle ear neoplasms showing adenomatous and neuroendocrine components. *Clin. Rec.*, 404
Davies, R., Shotton, J. C. and Ludman, H. Persisting nystagmus following vestibular nerve section for Menière's disease. *Orig. Art.*, 263
Davis, A.-E. and Robin, P. E. Transpalatal approach to the petrous apex. *Clin. Rec.*, 94
Davis, J. and Baer, S. Cystic hygroma presenting in adulthood. *Clin. Rec.*, 976
Dawes, P., Kasanzew, M. and Browne, B. Tetanus presenting as dysphagia. *Clin. Rec.*, 229
Dawkins, R. S. and Cook, J. A. Airgun pellet injuries of the neck. *Clin. Rec.*, 432
Dayal, D., Agarwal, S. P. and Sharma, H. Nasal myiasis: Review of 10 years' experience. *Orig. Art.*, 489
Declau, F., Jacob, W., Dorrine, W., Appel, B. and Marquet, J. Early ossification within the human fetal otic capsule: morphological and microanalytical findings. *Orig. Art.*, 1113
Declau, F., Moeneclaey, L. and Marquet, J. Normal growth pattern of the middle ear cleft in the human fetus. *Orig. Art.*, 461
Declaye, X., Mayne, A. and Remacle, M. Subglottic haemangioma in the infant: contribution by laser CO_2. *Orig. Art.*, 930
del Junco, G. W., Luna, M. A., Batsakis, J. G. and Tortoledo, M. E. Carcinomas ex monomorphic adenoma of salivary glands. *Orig. Art.*, 756
De Meester, W., Alajmo, E. and Polli, G. Total parotidectomy—a routine treatment of parotid gland swellings? *Orig. Art.*, 181
Denny, S. and Harrison, D. F. N. Symmorphosis in relation to the relative dimensions of the glottic and tracheal area in the mammalian larynx. *Orig. Art.*, 1053
Dent, J. A. and Rickhuss, P. K. Invasive pituitary adenoma presenting with nasal obstruction. *Clin. Rec.*, 605
De Rosa, G., Barra, E., Boscaino, A., Gentile, R. and Di Prisco, B. Fibromatosis of the larynx in the adult. *Clin. Rec.*, 1219
De, S. K. and Basu, A. Unusual presentation of neurilemmoma in the cerebellopontine angle. *Clin. Rec.*, 508

Desai, S. and Rajaratnam, K. Pedunculated squamous papilloma of the laryngopharynx. *Clin. Rec.*, 209
Diamond, C., Sisson, P. R., Kearns, A. M. and Ingham, H. R. Bacteriology of chronic otitis media with effusion. *Orig. Art.*, 369
Dilkes, M., Maw, A. R., Robson, A. K. and Clarke, P. M. Transmastoid extracranial repair of CSF leaks following acoustic neuroma resection. *Orig. Art.*, 842
Di Prisco, B., De Rosa, G., Barra, E., Boscaino, A. and Gentile, R. Fibromatosis of the larynx in the adult. *Clin. Rec.*, 1219
Dixon, J. A. Spontaneous external carotid artery occlusion. *Clin. Rec.*, 710
Dixon, J. A., Bleach, N. R. and Keen, C. E. Superficial malignant schwannoma of the face; a case for early radical surgery. *Clin. Rec.*, 316
Djaldetti, M., Cohen, A. M., Talmi, Y. P., Floru, S., Bar-Ziv, J. and Zohar, Y. Ossification of the auricle in Addison's disease. *Rad. Focus*, 885
Djazeri, B., Evans, J. N. G., Quiney, R. E. and Mitchell, D. B. Recurrent meningitis in children due to inner ear abnormalities. *Orig. Art.*, 473
Djupesland, G., Lyberg, T. and Krogstad, O. Cephalometric analysis in patients with obstructive sleep apnoea syndrome. I. Skeletal morphology. *Orig. Art.*, 287
Djupesland, G., Lyberg, T. and Krogstad, O. Cephalometric analysis in patients with obstructive sleep apnoea syndrome. II. Soft tissue morphology. *Orig. Art.*, 293
Donovan, R. and Violaris, N. S. Obliteration of the middle ear cleft. *Orig. Art.*, 43
Dorrine, W., Appel, B., Marquet, J., Declau, F. and Jacob, W. Early ossification within the human fetal otic capsule: morphological and microanalytical findings. *Orig. Art.*, 1113
Doyle-Kelly, W., Fennell, G., Walsh, M., McShane, D. and El Sherif, I. Dermoids ('hairy polyps') of the oro-nasopharynx. *Clin. Rec.*, 612
Doyle-Kelly, W., Timon, C. I. and Leen, E. Hypopharyngeal involvement by thyroid cancer. *Clin. Rec.*, 629
Drake-Lee, A. B. and Morgan, D. W. Nasal polyps and sinusitis in children with cystic fibrosis. *Orig. Art.*, 753
Dryden, S., Cert, D. N., Gibbin, K. and O'Callaghan, C. Asthma therapy and a tracheostomy. *Clin. Rec.*, 427
Duncan, P. W. and Hariri, M. A. Infective complications of brief nasotracheal intubation. *Clin. Rec.*, 1217
Dunkin, K. T., Sriwardhana, K. B. and Howard, A. J. Bacteriology of otitis media with effusion. *Orig. Art.*, 253
Durham, L. M., Jones, A. S. and Willatt, D. J. Nasal airflow: resistance and sensation. *Orig. Art.*, 909

Eisen, S. M. Simple method to control laryngeal overspill in tracheostomized patients. *Clin. Rec.*, 222
Eitelberg, E. and Samuel, J. Tuning forks: the problem of striking. *Orig. Art.*, 1
El-Ghazzawy, E., Elwany, S., Talaat, A. M. and Bahgat, Y. S. Nasopharyngeal bacterial flora before and after adenoidectomy. *Orig. Art.*, 372
Eliopoulos, P. N. and Philippakis, C. Prevention of post-operative intra-nasal adhesions (a new material). *Orig. Art.*, 664
El-Kholy, A. A. and Cherry, J. R. Primary cholesteatoma of the mastoid presenting as cervical abscess. *Clin. Rec.*, 92
El-Kholy, A. Manipulation of the fractured nose using topical local anaesthesia. *Orig. Art.*, 580
Ell, S. R. Radio-opacity of fishbones. *Rad. Focus*, 1224
El-Naggar, A., Batsakis, J. G., Luna, M. A., Goepfert, H. and Tortoledo, M. E. D.N.A. content and proliferative activity of myoepitheliomas. *Orig. Art.*, 1192
El-Naggar, A., Batsakis, J. G., Regezi, J. A. and Luna, M. A. Histogenesis of salivary gland neoplasms: a postulate with prognostic implications. *Orig. Art.*, 939
El Sherif, I., Doyle-Kelly, W., Fennell, G., Walsh, M. and McShane, D. Dermoids ('hairy polyps') of the oro-nasopharynx. *Clin. Rec.*, 612
Elwany, S., Talaat, A. M., Bahgat, Y. S. and El-Ghazzawy, E. Nasopharyngeal bacterial flora before and after adenoidectomy. *Orig. Art.*, 372
Engel, P., Bonding, P. and Charabi, S. Myxoid tumours in the temporal bone. *Clin. Rec.*, 1206
Enomoto, K., Kawai, N., Asakura, K., Sambe, S. and Kataura, A. Metastatic squamous cell carcinoma of the paranasal sinuses from a primary squamous cell carcinoma of the urinary bladder. *Clin. Rec.*, 602
Evans, J. N. G., Pambakian, H., Saldanha, C. B. R. and Bennett, J. D. C. Metastasis to the temporal bone, secondary to carcinoma of the bladder. *Clin. Rec.*, 599
Evans, J. N. G., Quiney, R. E., Mitchell, D. B. and Djazeri, B. Recurrent meningitis in children due to inner ear abnormalities. *Orig. Art.*, 473
Evans, R. A., Hardy, D. G., Moffat, D. A. and Baguley, D. Mastoid ache in acoustic neuroma. *Orig. Art.*, 1043
Evans, R. A., Harries, M. A., Baguley, D. M. and Moffat, D. A. Reliability of the House and Brackmann grading system for facial palsy. *Orig. Art.*, 1045

Fagan, P. A. and Loh, K. K. Results of surgery to the damaged facial nerve. *Orig. Art.*, 567
Farrell, G., Phillips, A. J., Haacke, N. P., Rhys-Williams, S. and Thornton, A. R. D. Verification of a new test of endolymphatic hydrops. *Orig. Art.*, 1136
Fatah, M. F. and Grocutt, M. Recurrent multiple epidermoid inclusion cysts following rhinoplasty—an unusual complication. *Clin. Rec.*, 1214
Faye-Lund, H. Acute and latent mastoiditis. *Orig. Art.*, 1158
Fennell, G., Walsh, M., McShane, D., El Sherif, I. and Doyle-Kelly, W. Dermoids ('hairy polyps') of the oro-nasopharynx. *Clin. Rec.*, 612
Fenwick, J. D., Clayton, M. I., Rinon, R. P. and Hanson, D. R. Evaluation of recent experience in hypoglossal-facial nerve anastomosis in the treatment of facial palsy. *Orig. Art.*, 63
Ferit, T. and Stahl, N. Recurrent bilateral peripheral facial palsy. *Clin. Rec.*, 117
Ferlito, A., Pesavento, G., Recher, G., Mingrino, S., Visonà, A., 'Fiore, D. L. and Macchi, C. Intracranial pneumocephalus (secondary to fronto-ethmoidal osteoma). *Rad. Focus*, 634
Fernandes, C. M. C. and Samuel, J. Mycotic aneurysm of the petrous portion of the internal carotid artery. *Clin. Rec.*, 111
Fidler, H. and Jones, N. S. Late onset Cogan's syndrome. *Clin. Rec.*, 512
Fielder, C. P. Effect of weather conditions on acute laryngotracheitis. *Orig. Art.*, 187
Filipo, R., Barbara, M., Bagger-Sjöback, D. and Rask-Anderson, H. Does severe water deprivation affect the inner ear? *Orig. Art.*, 22
Finkelstein, Y., Shem-Tov, Y., Zohar, Y. and Talmi, Y. P. Use of a Braunula for maxillary sinus irrigation. *Orig. Art.*, 279
Finkelstein, Y., Talmi, Y. P., Rubel, Y., Bar-Ziv, J. and Zohar, Y. Otitis media with effusion as a presenting symptom of chronic sinusitis. *Orig. Art.*, 827
'Fiore, D. L., Macchi, C., Ferlito, A., Pesavento, G., Recher, G., Mingrino, S., Visonà, A. Intracranial pneumocephalus (secondary to fronto-ethmoidal osteoma). *Rad. Focus.*, 364
Fisher, C., Nicolaides, A. R. and Rhys Evans, P. Adenosquamous carcinoma of the thyroid gland. *Clin. Rec.*, 978
Fisher, C., Rhys-Evans, P. H. and Nicolaides, A. Metastatic melanoma of the tonsil. *Path. Focus.*, 890
Fisher, E. W. and Croft, C. B. Antroscopy: Current practice—A survey of U.K. otolaryngologists. *Orig. Art.*, 747
Fisher, E. W., Whittet, H. B. and Croft, C. B. Symptomatic mucosal cysts of the maxillary sinus: antroscopic treatment. *Orig. Art.*, 1184
Flood, L. M., Hampal, S. and Horowitz, M. Cryosurgical treatment of endolymphatic hydrops. *Orig. Art.*, 481

Flood, L. M., Hart, J. J., Jones, M. G. and Robertshaw, D. A system for accelerated provision of hearing aids to residents of homes for the elderly. *Orig. Art.*, 485
Floru, S., Bar-Ziv, J., Zohar, Y., Djaldetti, M., Cohen, A. M. and Talmi, Y. P. Ossification of the auricle in Addison's disease. *Rad. Focus*, 885
Forster, S., Munro, A. J., Stafford, N. D. and Herdman, R. C. D. Kaposi's sarcoma of the head and neck in patients with AIDS. *Orig. Art.*, 379
Fradis, M., Ben David, J. and Podoshin, L. Ototoxicity of ear drops in patients suffering from chronic otitis media. *Orig. Art.*, 46
Fradis, M., Goldstein, J., Misselevitch, I., Boss, J. H. and Podoshin, L. Intrahyoid thyroglossal cyst. *Clin. Rec.*, 539
Fradis, M., Podoshin, L., Goldstein, Y., Miselvich, I. and Boss, J. H. Cervical Echinococcal hydatid cyst. *Clin. Rec.*, 435
Fradis, M., Podoshin, L., Simon, J., Lazarov, N., Shagrawi, I. and Boss, J. H. Combined treatment of large head and neck capillaro-venous malformation by a fibrosing agent. *Orig. Art.*, 390
Frans, A. and Van Den Eeckhaut, J. Cough as the sole manifestation of airway hyperreactivity. *Orig. Art.*, 680
Fredelius, L., Bagger-Sjöbäck, D., Harada, Y., Wersäll, J. and Takumida, M. Effect of acoustic overstimulation on the glycocalyx and the ciliary interconnections in the organ of Corti: High resolution scanning electron microscopic investigation. *Orig. Art.*, 1125
Friedmann, I., Thomsen, P., Kristensen, S. and Tveterås, K. Nasopharyngeal Warthin's tumour: A metaplastic lesion. *Clin. Rec.*, 616
Friedman, S., Klijanienko, J., Micheau, C., Schwaab, G. and Marandas, P. Clear cell carcinoma in pleomorphic adenoma of the minor salivary gland. *Clin. Rec.*, 789
Fung, G., McIntosh, W. A. and Urquhart, A. C. Isolated sphenoiditis: A diagnostic problem. *Clin. Rec.*, 526
Furukawa, M., Miwa, T., Kamide, M., Sakumoto, M. and Umeda, R. Three cases of inter-sterno-costo-clavicular ossification associated with tonsillar infection. *Clin. Rec.*, 783

Gadre, A. K. and Gadre, K. C. Cholesteatoma of the external auditory canal in hemifacial hypertrophy (hyperplasia). *Clin. Rec.*, 74
Gadre, K. C. and Gadre, A. K. Cholesteatoma of the external auditory canal in hemifacial hypertrophy (hyperplasia). *Clin. Rec.*, 74
Gale, N., Kambič, V. and Žargi, M. Laryngeal chondrosarcoma: is conservative surgery adequate treatment? *Clin. Rec.*, 970
Gatland, D. J. and Murrant, N. J. Temporal bone laboratory training for stapedectomy. *Orig. Art.*, 833
Gentile, R., Di Prisco, B., De Rosa, G., Barra, E. and Boscaino, A. Fibromatosis of the larynx in the adult. *Clin. Rec.*, 1219
Ghani, S. A. and Ming, C. C. Fractured tracheostomy tube in the tracheobronchial tree. *Clin. Rec.*, 335
Gholkar, A., Ramsden, R. T. and West, P. D. B. Wildervanck's syndrome—unilateral Mondini dysplasia identified by computed tomography. *Clin. Rec.*, 408
Gibbin, K., O'Callaghan, C., Dryden, S. and Cert, D. N. Asthma therapy and a tracheostomy. *Clin. Rec.*, 427
Gilbert, J. G. Antroscopy in maxillary sinus disease associated with nasal polyposis. *Orig. Art.*, 861
Girling, A. and Robb, P. J. Granular cell myoblastoma of the supraglottis. *Clin. Rec.*, 328
Gleeson, M. J., Cox, T. C. S. and Strong, A. J. Aneurysm of the anterior inferior cerebellar artery mimicking an intracanalicular acoustic neuroma. *Clin. Rec.*, 107
Gleitman, Y., Muchnik, C., Hildesheimer, M. and Rubinstein, M. Validity of tympanometry in cases of confirmed otosclerosis. *Orig. Art.*, 36
Glossop, P. and Wake, M. Guillotine and dissection tonsillectomy compared. *Orig. Art.*, 588
Goel, H., Lal, H., Kumar, L., Kohli, G. S. and Sharma, A. Serum enzymes in head and neck cancer. IV: 5-nucleotidase. *Orig. Art.*, 200
Goepfert, H., Tortoledo, M. E., El-Naggar, A., Batsakis, J. G. and Luna, M. A. D.N.A. content and proliferative activity of myoepitheliomas. *Orig. Art.*, 1192
Going, J. J. and Kean, D. M. Malignant melanoma of the nasal cavity. *Path. Focus*, 231
Golding-Wood, D. G. and McGlashan, J. A. Snoring as a presenting feature of the Shy-Drager syndrome. *Clin. Rec.*, 610
Golding-Wood, D. G. and Whittet, H. B. The lingual tonsil. A neglected symptomatic structure? *Orig. Art.*, 922
Golding-Wood, D. G., Quiney, R. E. and Cheesman, A. D. Carcinoma of the ear: Retrospective analysis of 61 patients. *Orig. Art.*, 653
Goldstein, J., Misselevitch, I., Boss, J. H., Podoshin, L. and Fradis, M. Intrahyoid thyroglossal cyst. *Clin. Rec.*, 539
Goldstein, Y., Miselvich, I., Boss, J. H., Fradis, M. and Podoshin, L. Cervical Echinococcal hydatid cyst. *Clin. Rec.*, 435
Goodman, R. M., Hildesheimer, M., Maayan, Z., Muchnik, C. and Rubinstein, M. Auditory and vestibular findings in Waardenburg's Type II syndrome. *Orig. Art.*, 1130
Gould, S. J. and Graham, J. Long term pathological sequelae of neonatal endotracheal intubation. *Clin. Rec.*, 622
Graham, J. and Gould, S. J. Long term pathological sequelae of neonatal endotracheal intubation. *Clin. Rec.*, 622
Grant, H. R., Milroy, C. M. and Robinson, P. J. Primary composite squamous cell carcinoma and large cell neuroendocrine carcinoma of the hypopharynx. *Path. Focus*, 1093
Greven, A. J., Karim, A. B. M. F., Snow, G. B. and Tiwari, R. M. Total glossectomy: reconstruction and rehabilitation. *Orig. Art.*, 917
Grewal, D. S. Round window reflex and oval window fistulae. *Orig. Art.*, 562
Grewal, D. S., Nasar, B. and Hiranandani, N. External rhinoplasty in the tropics. *Short Comm.*, 1198
Griffiths, G. J., Davies, J. E., Semeraro, D. and Knight, L. C. Middle ear neoplasms showing adenomatous and neuroendocrine components. *Clin. Rec.*, 404
Griffiths, M. V. and Bevan, K. Chronic aspiration and laryngeal competence. *Orig. Art.*, 196
Griffiths, M. V. and Bingham, B. J. G. Sublabial rhinotomy with septal transfixion as an approach to the nasal fossa, paranasal sinuses and nasopharynx. *Orig. Art.*, 661
Griffiths, M. V., Morgan, M. H. and Bevan, K. Cricothyroid muscle paralysis: its recognition and diagnosis. *Orig. Art.*, 191
Grocutt, M. and Fatah, M. F. Recurrent multiple epidermoid inclusion cysts following rhinoplasty—an unusual complication. *Clin. Rec.*, 1214
Grossenbacher, R. and Butler, S. Cholesterol granuloma of the paranasal sinuses. *Clin. Rec.*, 776
Günbay, M. U., Ceryan, K. and Küpelioğlu, A. A. Metastatic renal carcinoma to the parotid gland. *Clin. Rec.*, 417
Gupta, O. P., Aryya, N. C. and Jain, R. K. Cysticercosis of the tongue. *Path. Focus*, 1227

Haacke, N. P., Rhys-Williams, S., Thornton, A. R. D., Farrell, G. and Phillips, A. J. Verification of a new test of endolymphatic hydrops. *Orig. Art.*, 1136
Habashi, S., Padel, A. F. and Capper, J. W. R. Carcinoma of the laryngeal saccule: A biopsy technique to make a difficult diagnosis. *Clin. Rec.*, 692
Hampal, S., Horowitz, M. and Flood, L. M. Cryosurgical treatment of endolymphatic hydrops. *Orig. Art.*, 481
Hanson, D. R., Fenwick, J. D., Clayton, M. I. and Rinon, R. P. Evaluation of recent experience in hypoglossal-facial nerve anastomosis in the treatment of facial palsy. *Orig. Art.*, 63
Harada, Y., Takumida, M., Wersäll, J. and Bagger-Sjöbäck, D. Observation of the glycocalyx of the organ of Corti: An investigation by electron microscopy in the normal and gentamicin-treated guinea pig. *Orig. Art.*, 133
Harada, Y., Wersäll, J., Takumida, M., Fredelius, L. and Bagger-Sjöbäck, D. Effect of acoustic overstimulation on the glycocalyx and the ciliary interconnections in the organ of Corti: High resolution scanning electron microscopic investigation. *Orig. Art.*, 1125
Hardy, D. G. and Moffat, D. A. Surgical management of large glomus jugulare tumours: Infra- and trans-temporal approach. *Orig. Art.*, 1167

Hardy, D. G., Baguley, D. M. and Moffat, D. A. Strategy and benefits of acoustic neuroma searching. *Orig. Art.*, 51
Hardy, D. G., Baguley, D. M., Croxson, G. R. and Moffat, D. A. Role of post-operative electroneuronography in predicting facial nerve recovery after acoustic neuroma removal. *Orig. Art.*, 60
Hardy, D. G., Moffat, D. A., Baguley, D. and Evans, R. A. Mastoid ache in acoustic neuroma. *Orig. Art.*, 1043
Hardy, D. G., Moffat, D. A., Croxson, G. R. and Baguley, D. M. Facial nerve recovery after acoustic neuroma tumour removal. *Orig. Art.*, 1[illegible]
Hardy, D. G., Moffat, D. A., Harries, M. L. L. and Baguley, D. M. Unterberger's stepping test in acoustic neuroma. *Orig. Art.*, 839
Hardy, D. G., Tsui, Y. N., Moffat, D. A. and Baguley, D. M. Contralateral auditory brainstem response abnormalities in acoustic neuroma. *Orig. Art.*, 835
Hariri, M. A. and Duncan, P. W. Infective complications of brief nasotracheal intubation. *Clin. Rec.*, 1217
Harries, M. and Lund, V. J. Head and neck surgery in the elderly—a maturing problem. *Orig. Art.*, 306
Harries, M. A., Baguley, D. M., Moffat, D. A. and Evans, R. A. Reliability of the House and Brackmann grading system for facial palsy. *Orig. Art.*, 1045
Harries, M. L. L., Baguley, D. M. and Moffat, D. A. Hearing aids—a case for review. *Orig. Art.*, 850
Harries, M. L. L., Baguley, D. M., Hardy, D. G. and Moffat, D. A. Unterberger's stepping test in acoustic neuroma. *Orig. Art.*, 839
Harrison, D. F. N. and Denny, S. Symmorphosis in relation to the relative dimensions of the glottic and tracheal area in the mammalian larynx. *Orig. Art.*, 1053
Harsten, G., Prellner, K., Löfgren, B., Heldrup, J., Kalm, O. and Kornfalt, R. Serum antibodies against respiratory tract viruses. A prospective three-year follow-up from birth. *Orig. Art.*, 904
Hart, J. J., Jones, M. G., Robertshaw, D. and Flood, L. M. A system for accelerated provision of hearing aids to residents of homes for the elderly. *Orig. Art.*, 485
Harvey, L., Holland, I., Morgan, D. A., MacLennan, K., Bradley, P. J. and Narula, A. Haemangiopericytoma of the larynx. *Path. Focus*, 234
Hattori, T., Rao, A. J., Yanagita, N., Asami, K. and Yokoi, H. Metastatic gallbladder carcinoma of the palatine tonsil. *Clin. Rec.*, 211
Hazell, J. W. P. and Robinson, P. J. Patulous Eustachian tube syndrome: The relationship with sensorineural hearing loss. Treatment by Eustachian tube diathermy. *Orig. Art.*, 739
Heath, D. A new look at the carotid bodies. *Path. Focus.*, 803
Heldrup, J., Kalm, O., Kornfalt, R., Harsten, G., Prellner, K. and Löfgren, B. Serum antibodies against respiratory tract viruses. A prospective three-year follow-up from birth. *Orig. Art.*, 904
Herdman, R. C. D., Forster, S., Munro, A. J. and Stafford, N. D. Kaposi's sarcoma of the head and neck in patients with AIDS. *Orig. Art.*, 379
Hildesheimer, M., Maayan, Z., Muchnik, C., Rubinstein, M. and Goodman, R. M. Auditory and vestibular findings in Waardenburg's Type II syndrome. *Orig. Art.*, 1130
Hildesheimer, M., Rubinstein, M., Gleitman, Y. and Muchnik, C. Validity of tympanometry in cases of confirmed otosclerosis. *Orig. Art.*, 36
Hill, J. and Alun-Jones, T. Eyelid necrosis complicating acute maxillary sinusitis. *Clin. Rec.*, 413
Hinton, A. E. Surgery for otitis media with effusion in children and its relationship to parental smoking. *Orig. Art.*, 559
Hiranandani, N., Grewal, D. S. and Nasar, B. External rhinoplasty in the tropics. *Short Comm.*, 1198
Hitchcock, A., Bradley, P. J., Kapila, L. and Berridge, D. C. Second primary tumour following retinoblastoma. *Clin. Rec.*, 690
Hoare, T. J., Croft, C. B., Howard, D. J., Rhys Evans, P. and Jayne, D. Wegener's granulomatosis, subglottic stenosis and anti-neutrophil cytoplasm antibodies. *Orig. Art.*, 1187
Hoffman, R. A. and Horten, B. Rheumatoid nodule of the temporal bone. *Clin. Rec.*, 768
Hogbin, B. M., Nishikawa, H. and Kirkham, N. Synchronous extra-parotid Warthin's tumour. *Clin. Rec.*, 792
Holland, I., Morgan, D. A., MacLennan, K., Bradley, P. J., Narula, A. and Harvey, L. Haemangiopericytoma of the larynx. *Path. Focus*, 234
Horowitz, A., Leventon, G. and Kronenberg, J. Sialadenoma papilliferum of the parotid gland. *Clin. Rec.*, 1089
Horowitz, M., Flood, L. M. and Hampal, S. Cryosurgical treatment of endolymphatic hydrops. *Orig. Art.*, 481
Horten, B. and Hoffman, R. A. Rheumatoid nodule of the temporal bone. *Clin. Rec.*, 768
Hovig, T., Brandtzaeg, P., Boysen, M. and Wetteland, P. Neuroendocrine carcinoma of the lip (Merkel cell tumour) examined by electron microscopy and immunohistochemistry. *Clin. Rec.*, 519
Howard, A. J., Dunkin, K. T. and Sriwardhana, K. B. Bacteriology of otitis media with effusion. *Orig. Art.*, 253
Howard, D. J., McCombe, A. and Lund, V. J. Multiple synchronous carcinoma of the aero-digestive tract. *Clin. Rec.*, 794
Howard, D. J., Rhys Evans, P., Jayne, D., Hoare, T. J. and Croft, C. B. Wegener's granulomatosis, subglottic stenosis and anti-neutrophil cytoplasm antibodies. *Orig. Art.*, 1187
Hugosson, S., Tjellström, A., Svendsen, P., Jacobsson, M. and Davidsson, A. Aberrant intratympanic internal carotid artery: a potentially hazardous anomaly. *Clin. Rec.*, 1202
Hussain, S. S. M. and Whitehead, E. Malignant melanoma of the larynx. *Clin. Rec.*, 533
Hussain, S. S. M., Simpson, R. D., McCormick, D. and Johnstone, C. I. Langerhan's cell histiocytosis in the sphenoid sinus: A case of diabetes insipidus. *Clin. Rec.*, 877
Hutcherson, R. W., Buchholtz, B. D., Mickel, R. A. and Bredenkamp, J. K. Two-stage temporalis flap reconstruction for facial paralysis. *Orig. Art.*, 672

Ijaduola, T. G. A. Use of a Foley catheter for short-term drainage in frontal sinus surgery. *Orig. Art.*, 375
Illum, P. Resection with laser and high frequency cutting loop in tracheo-bronchial diseases. *Orig. Art.*, 386
Inamitsu, M., Uemura, T., Sugimoto, T. and Nakashima, T. Immunopathology of polymorphic reticulosis of the larynx. *Clin. Rec.*, 955
Ingham, H. R., Diamond, C., Sisson, P. R. and Kearns, A. M. Bacteriology of chronic otitis media with effusion. *Orig. Art.*, 369
Ishikawa, S., Umeda, R., Nishimura, T., Takimoto, T. and Kamide, M. Agenesis of the cervical internal carotid artery. *Clin. Rec.*, 707
Ito, M., Umeda, R., Takimoto, T. and Okabe, Y. Intravagal parathyroid adenoma. *Clin. Rec.*, 704

Jacob, W., Dorrine, W., Appel, B., Marquet, J. and Declau, F. Early ossification within the human fetal otic capsule: morphological and microanalytical findings. *Orig. Art.*, 1113
Jacobsson, M., Davidsson, A., Hugosson, S., Tjellström, A. and Svendsen, P. Aberrant intratympanic internal carotid artery: a potentially hazardous anomaly. *Clin. Rec.*, 1202
Jain, R. K., Gupta, O. P. and Aryya, N. C. Cysticercosis of the tongue. *Path. Focus*, 1227
James, W. H. Sex ratios in otosclerotic families. *Orig. Art.*, 1036
Jarrar, R. F., Phillips, J. J., Reid, A. and Marchbanks, R. J. Objective tinnitus and tympanic membrane displacement. *Clin. Rec.*, 872
Jayne, D., Hoare, T. J., Croft, C. B., Howard, D. J. and Rhys Evans, P. Wegener's granulomatosis, subglottic stenosis and anti-neutrophil cytoplasm antibodies. *Orig. Art.*, 1187

Johnstone, C. I., Hussain, S. S. M., Simpson, R. D. and McCormick, D. Langerhan's cell histiocytosis in the sphenoid sinus: A case of diabetes insipidus. *Clin. Rec.*, 877
Jonathan, D., Lund, V. and Milroy, C. Allergic aspergillus sinusitis—An overlooked diagnosis? *Orig. Art.*, 1181
Jones, A. J., Slack, R. W. T. and Robson, A. K. CSF otorrhoea secondary to a tegmen defect. *Rad. Focus*, 980
Jones, A. S., Willatt, D. J. and Durham, L. M. Nasal airflow: resistance and sensation. *Orig. Art.*, 909
Jones, M. G., Robertshaw, D., Flood, L. M. and Hart, J. J. A system for accelerated provision of hearing aids to residents of homes for the elderly. *Orig. Art.*, 485
Jones, N. S. and Fidler, H. Late onset Cogan's syndrome. *Clin. Rec.*, 512
Jones, N. S., von Schoenberg, M. V. and Lannigan, F. J. An avoidable occupational hazard during mastoid surgery. *Orig. Art.*, 566
Jordan, M. B. and Soames, J. V. Fibrous histiocytoma of the larynx. *Clin. Rec.*, 216
Joshi, J. B., Adlington, P. and Anscombe, A. J. Influence of the mode of preparation on the distortion and consistency of homologous costal cartilage implants. *Orig. Art.*, 572

Kallis, S. and Stevens, D. J. Acinous cell carcinoma of the larynx. *Path. Focus*, 638
Kalm, O., Kornfalt, R., Harsten, G., Prellner, K., Löfgren, B. and Heldrup, J. Serum antibodies against respiratory tract viruses. A prospective three-year follow-up from birth. *Orig. Art.*, 904
Kambič, V., Žargi, M. and Gale, N. Laryngeal chondrosarcoma: is conservative surgery adequate treatment? *Clin. Rec.*, 970
Kamel, R. H. Endoscopic transnasal surgery in chronic maxillary sinusitis. *Orig. Art.*, 492
Kamel, R. H. Nasal endoscopy in chronic maxillary sinusitis. *Orig. Art.*, 275
Kamide, M., Ishikawa, S., Umeda, R., Nishimura, T. and Takimoto, T. Agenesis of the cervical internal carotid artery. *Clin. Rec.*, 707
Kamide, M., Sakumoto, M., Umeda, R., Furukawa, M. and Miwa, T. Three cases of inter-sterno-costo-clavicular ossification associated with tonsillar infection. *Clin. Rec.*, 783
Kapila, L., Berridge, D. C., Hitchcock, A. and Bradley, P. J. Second primary tumour following retinoblastoma. *Clin. Rec.*, 690
Karim, A. B. M. F., Snow, G. B., Tiwari, R. M. and Greven, A. J. Total glossectomy: reconstruction and rehabilitation. *Orig. Art.*, 917
Karim, A. B. M. F., Tierie, A. H., Koka, V. N., Tiwari, R. M., Van Der Waal, I., Snow, G. B. and Nauta, J. Adenoid cystic carcinoma of the salivary glands: Clinicopathological survey of 51 patients. *Orig. Art.*, 675
Kasantikul, V. and Shuangshoti, S. Primary intracranial mesenchymal chondrosarcoma. *Path. Focus.*, 545
Kasanzew, M., Browne, B. and Dawes, P. Tetanus presenting as dysphagia. *Clin. Rec.*, 229
Kataura, A., Enomoto, K., Kawai, N., Asakura, K. and Sambe, S. Metastatic squamous cell carcinoma of the paranasal sinuses from a primary squamous cell carcinoma of the urinary bladder. *Clin. Rec.*, 602
Kataura, A., Wakabayashi, J., Satoh, M., Kodama, H., Takezawa, H., Suzuki, T. and Kobayashi, K. Carcinoid tumour of the middle ear. *Clin. Rec.*, 86
Kawai, N., Asakura, K., Sambe, S., Kataura, A. and Enomoto, K. Metastatic squamous cell carcinoma of the paranasal sinuses from a primary squamous cell carcinoma of the urinary bladder. *Clin. Rec.*, 602
Kean, D. M. and Going, J. J. Malignant melanoma of the nasal cavity. *Path. Focus*, 231
Kearns, A. M., Ingham, H. R., Diamond, C. and Sisson, P. R. Bacteriology of chronic otitis media with effusion. *Orig. Art.*, 369
Keen, C. E., Dixon, J. A. and Bleach, N. R. Superficial malignant schwannoma of the face; a case for early radical surgery. *Clin. Rec.*, 316
Keith, A. O., Ramsden, R. T., Clements, M. R. and Mistry, C. D. Recovery from sensorineural deafness in Wegener's granulomatosis. *Clin. Rec.*, 515
Kelleher, R. J., Murray, J. A. M. and Welsby, P. D. Recurrent meningitis associated with meningioma of the mastoid cavity. *Clin. Rec.*, 99
Kent, S. E., Curry, A. R. and Nahl, S. S. Treatment of auricular haematoma by silicone rubber splints. *Orig. Art.*, 1146
Kerr, A. G., Smyth, G. D. L. and Lang, J. Transplanted ossicles after two decades. *Orig. Art.*, 471
Kerr, A. G., Toner, J. G., McKee, G. J. and Smyth, G. D. L. Role and results of cortical mastoidectomy and endolymphatic sac surgery in Menière's disease. *Orig. Art.*, 1161
Kerr, A. I. G., Carder, P., Sellar, R. J. and Sharp, J. F. Facial schwannoma without facial paralysis. *Clin. Rec.*, 973
Khalifa, S. A., Sharma, R., Shenoy, P. and Paulose, K. O. Osteoma of the ear canal presenting with headache. *Clin. Rec.*, 683
Khoury, G. G., Robinson, P. M. and Robinson, A. C. R. Role of irradiation in the suppression of parotid secretions. *Orig. Art.*, 594
Kirkham, N., Hogbin, B. M. and Nishikawa, H. Synchronous extra-parotid Warthin's tumour. *Clin. Rec.*, 792
Kivanc, F., Secinti, E., Cetik, F. and Ozsahinoglu, C. Alveolar soft part sarcoma of the tongue. *Clin. Rec.*, 952
Klijanienko, J., Micheau, C., Schwaab, G., Marandas, P. and Friedman, S. Clear cell carcinoma in pleomorphic adenoma of the minor salivary gland. *Clin. Rec.*, 789
Klint, T., Olsen, L., Rundcrantz, H. and Åkerlund, A. Nasal decongestant effect of Oxymetazolone in the common cold: An objective dose-response study in 106 patients. *Orig. Art.*, 743
Kluyskeris, P., Vakaet, L., Vande Maele, C. and Van Cauwenberge, P. Morphology of a columellaform stapes. *Clin. Rec.*, 79
Knight, L. C. and Lesser, T. H. J. Changing incidence of sinus infection in children. *Orig. Art.*, 659
Knight, L. C., Griffiths, G. J., Davies, J. E. and Semeraro, D. Middle ear neoplasms showing adenomatous and neuroendocrine components. *Clin. Rec.*, 404
Koay, C. E. and Alun-Jones, T. Pharyngeal paralysis due to botulinum toxin injection. *Clin. Rec.*, 698
Kobayashi, K., Kataura, A., Wakabayashi, J., Satoh, M., Kodama, H., Takezawa, H. and Suzuki, T. Carcinoid tumour of the middle ear. *Clin. Rec.*, 86
Kodama, H., Takezawa, H., Suzuki, T., Kobayashi, K., Kataura, A., Wakabayashi, J. and Satoh, M. Carcinoid tumour of the middle ear. *Clin. Rec.*, 86
Kohli, G. S., Sharma, A., Goel, H., Lal, H. and Kumar, L. Serum enzymes in head and neck cancer. IV: 5-nucleotidase. *Orig. Art.*, 200
Koka, V. N., Tiwari, R. M., Van Der Waal, I., Snow, G. B., Nauta, J., Karim, A. B. M. F. and Tierie, A. H. Adenoid cystic carcinoma of the salivary glands: Clinicopathological survey of 51 patients. *Orig. Art.*, 675
Kornfalt, R., Harsten, G., Prellner, K., Löfgren, B., Heldrup, J. and Kalm, O. Serum antibodies against respiratory tract viruses. A prospective three-year follow-up from birth. *Orig. Art.*, 904
Koshy, P., Kumar, S., Anilakumari, C. K., Krishnamoorthy, S. and Sreedharan, V. P. Culture of Rhinosporidium seeberi: Preliminary report. *Orig. Art.*, 178
Krishnamoorthy, S., Sreedharan, V. P., Koshy, P., Kumar, S. and Anilakumari, C. K. Culture of Rhinosporidium seeberi: Preliminary report. *Orig. Art.*, 178
Krishnamurthy, S. N. and Paulose, K. O. Vocal cord paralysis with Ebstein's anomaly. *Clin. Rec.*, 626
Kristensen, S., Tveteräs, K., Friedmann, I. and Thomsen, P. Nasopharyngeal Warthin's tumour: A metaplastic lesion. *Clin. Rec.*, 616
Krogstad, O., Djupesland, G. and Lyberg, T. Cephalometric analysis in patients with obstructive sleep apnoea syndrome. I. Skeletal morphology. *Orig. Art.*, 287
Krogstad, O., Djupesland, G. and Lyberg, T. Cephalometric analysis in patients with obstructive sleep apnoea syndrome. II. Soft tissue morphology. *Orig. Art.*, 293
Kronenberg, J., Horowitz, A. and Leventon, G. Sialadenoma papilliferum of the parotid gland. *Clin. Rec.*, 1089

Kumar, L., Kohli, G. S., Sharma, A., Goel, H. and Lal, H. Serum enzymes in head and neck cancer. IV: 5-nucleotidase. *Orig. Art.*, 200
Kumar, S., Anilakumari, C. K., Krishnamoorthy, S., Sreedharan, V. P. and Koshy, P. Culture of Rhinosporidium seeberi: Preliminary report. *Orig. Art.*, 178
Küpelioğlu, A. A., Günbay, M. U. and Ceryan, K. Metastatic renal carcinoma to the parotid gland. *Clin. Rec.*, 417
Kurien, M., Nair, S. and Thomas, S. Angiosarcoma of the nasal cavity and maxillary antrum. *Clin. Rec.*, 874
Kurien, M., Thomas, K. and Bhanu, T. S. Hearing threshold in patients with diabetes mellitus. *Orig. Art.*, 164

Lal, H., Kumar, L., Kohli, G. S., Sharma, A. and Goel, H. Serum enzymes in head and neck cancer. IV: 5-nucleotidase. *Orig. Art.*, 200
Lang, J., Kerr, A. G. and Smyth, G. D. L. Transplanted ossicles after two decades. *Orig. Art.*, 471
Lang, W., Pollock, J. G. and Nunez, D. A. Associated carotid body tumour and pharyngeal pouch. *Clin. Rec.*, 531
Lannigan, F. J., Jones, N. S. and von Schoenberg, M. V. An avoidable occupational hazard during mastoid surgery. *Orig. Art.*, 566
Lau, T. and Tos, M. Tensa retraction cholesteatoma: treatment and long-term results. *Orig. Art.*, 149
Lazarov, N., Shagrawi, I., Boss, J. H., Fradis, M., Podoshin, L. and Simon, J. Combined treatment of large head and neck capillaro-venous malformation by a fibrosing agent. *Orig. Art.*, 390
Leen, E., Doyle-Kelly, W. and Timon, C. I. Hypopharyngeal involvement by thyroid cancer. *Clin. Rec.*, 629
Lesser, T. H. J. and Knight, L. C. Changing incidence of sinus infection in children. *Orig. Art.*, 659
Leventon, G., Kronenberg, J. and Horowitz, A. Sialadenoma papilliferum of the parotid gland. *Clin. Rec.*, 1089
Lloyd, G. A. S. Diagnostic imaging of the nose and paranasal sinuses. *Orig. Art.*, 453
Löfgren, B., Heldrup, J., Kalm, O., Kornfalt, R., Harsten, G. and Prellner, K. Serum antibodies against respiratory tract viruses. A prospective three-year follow-up from birth. *Orig. Art.*, 904
Logani, K. B., Bais, A. S. and Uppal, K. Congenital cysts of the larynx. *Clin. Rec.*, 966
Loh, K. K. and Fagan, P. A. Results of surgery to the damaged facial nerve. *Orig. Art.*, 567
Ludman, H., Cox, T. C. S. and Shotton, J. C. Temporal bone venous anomaly of surgical siginificance. *Clin. Rec.*, 101
Ludman, H., Davies, R. and Shotton, J. C. Persisting nystagmus following vestibular nerve section for Menière's disease. *Orig. Art.*, 263
Lukaszewicz, C. M. and Robinson, A. C. Bilateral carotid body tumours. *Rad. Focus*, 543
Luna, M. A., Batsakis, J. G., Tortoledo, M. E. and del Junco, G. W. Carcinomas ex monomorphic adenoma of salivary glands. *Orig. Art.*, 756
Luna, M. A., El-Naggar, A., Batsakis, J. G. and Regezi, J. A. Histogenesis of salivary gland neoplasms: a postulate with prognostic implications. *Orig. Art.*, 939
Luna, M. A., Goepfert, H., Tortoledo, M. E., El-Naggar, A. and Batsakis, J. G. D.N.A. content and proliferative activity of myoepitheliomas. *Orig. Art.*, 1192
Lund, V. J. and Harries, M. Head and neck surgery in the elderly—a maturing problem. *Orig. Art.*, 306
Lund, V. J. and Rolfe, M. E. Ophthalmic considerations in fronto-ethmoidal mucocoeles. *Orig. Art.*, 667
Lund, V. J., Howard, D. J. and McCombe, A. Multiple synchronous carcinoma of the aero-digestive tract. *Clin. Rec.*, 794
Lund, V., Milroy, C. and Jonathan, D. Allergic aspergillus sinusitis—An overlooked diagnosis? *Orig. Art.*, 1181
Lyberg, T., Krogstad, O. and Djupesland, G. Cephalometric analysis in patients with obstructive sleep apnoea syndrome. I. Skeletal morphology. *Orig. Art.*, 287
Lyberg, T., Krogstad, O. and Djupesland, G. Cephalometric analysis in patients with obstructive sleep apnoea syndrome. II. Soft tissue morphology. *Orig. Art.*, 293

Maayan, Z., Muchnik, C., Rubinstein, M., Goodman, R. M. and Hildesheimer, M. Auditory and vestibular findings in Waardenburg's Type II syndrome. *Orig. Art.*, 1130
Macchi, C., Ferlito, A., Pesavento, G., Recher, G., Mingrino, S., Visonà, A. and 'Fiore, D. L. Intracranial pneumocephalus (secondary to fronto-ethmoidal osteoma). *Rad. Focus*, 634
MacDonald, A., Woodhead, C. J., Wickham, M. J. and Smelt, G. J. C. Some observations on submucous diathermy. *Orig. Art.*, 1047
MacDonald, I. and Barr, G. D. Management of achalasia and laryngo-tracheal compression. *Clin. Rec.*, 713
MacLennan, K. A., Bradley, P. J., Cumberworth, V. L. and Narula, A. Mucoepidermoid carcinoma of the larynx. *Clin. Rec.*, 420
MacLennan, K., Bradley, P. J., Narula, A., Harvey, L., Holland, I. and Morgan, D. A. Haemangiopericytoma of the larynx. *Path. Focus*, 234
MacLeod, T. I. F., Bacon, M. P., Chevretton, E. B. and Slack, R. W. T. Verrucous carcinoma of the maxillary antrum. *Clin. Rec.*, 415
Mains, B. and Nagle, M. Thrombosis of the internal carotid artery due to soft palate injury. *Clin. Rec.*, 796
Mains, B. T. and Toner, J. G. Pneumatic otoscopy: Study of inter-observer variability. *Orig. Art.*, 1134
Mains, B. Wegener's granulomatosis: false positive anti-neutrophil cytoplasmic antibody test. *Clin. Rec.*, 524
Mair, I. W. S. Occasional stapes surgery—A Norwegian experience. *Orig. Art.*, 259
Majumder, N. K., Sharma, H. S. and Srinivasan, V. Malignant fibrous histiocytoma of larynx. *Clin. Rec.*, 219
Makki, H. T. An evaluation of myringoplasty in war injured people. *Short Comm.*, 945
Manni, J. J., Schaafsma, H. E., Westerbeek, G. F. and Yap, S. H. Rare case of obscure haemorrhage in the upper aero-digestive tract (epiglottis). *Clin. Rec.*, 331
Marandas, P., Friedman, S., Klijanienko, J., Micheau, C. and Schwaab, G. Clear cell carcinoma in pleomorphic adenoma of the minor salivary gland. *Clin. Rec.*, 789
Maran, A. G. D., Amin, M. and Wilson, J. A. Radical neck dissection: A 19 year experience. *Orig. Art.*, 760
Marchbanks, R. J., Jarrar, R. F., Phillips, J. J. and Reid, A. Objective tinnitus and tympanic membrane displacement. *Clin. Rec.*, 872
Marquet, J., Declau, F. and Moeneclaey, L. Normal growth pattern of the middle ear cleft in the human fetus. *Orig. Art.*, 461
Marquet, J., Declau, F., Jacob, W., Dorrine, W. and Appel, B. Early ossification within the human fetal otic capsule: morphological and microanalytical findings. *Orig. Art.*, 1113
Mathew, J., Bhanu, T. S., Date, A. and Rupa, V. Paediatric laryngeal tuberculosis presenting with stridor. *Clin. Rec.*, 787
Maw, A. R. and Parker, A. J. Treatment of glue ear in relation to radiographic palatal airway size: a predictor for outcome following adenoidectomy? *Orig. Art.*, 66
Maw, A. R., Robson, A. K., Clarke, P. M. and Dilkes, M. Transmastoid extracranial repair of CSF leaks following acoustic neuroma resection. *Orig. Art.*, 842
Mayne, A., Remacle, M. and Declaye, X. Subglottic haemangioma in the infant: contribution by laser CO_2. *Orig. Art.*, 930
McCarthy, K., Milford, C. A., Mugliston, T. A. and O'Flynn, P. Carcinoma arising in a pleomorphic adenoma of the epiglottis. *Clin. Rec.*, 324
McClymont, L. G. and Simpson, D. C. Noise levels and exposure patterns to Do-It-Yourself power tools. *Orig. Art.*, 1140
McCombe, A., Lund, V. J. and Howard, D. J. Multiple synchronous carcinoma of the aero-digestive tract. *Clin. Rec.*, 794
McCormick, D., Johnstone, C. I., Hussain, S. S. M. and Simpson, R. D. Langerhan's cell histiocytosis in the sphenoid sinus: A case of diabetes insipidus. *Clin. Rec.*, 877
McDonagh, M. and Meiring, J. H. Endoscopic transnasal dacryocystorhinostomy. *Orig. Art.*, 585
McFerran, D. J., Baguley, D. and Moffat, D. A. Aberrant reinervation of the stapedius muscle following facial palsy. *Clin. Rec.*, 205

McGlashan, J. A. and Golding-Wood, D. G. Snoring as a presenting feature of the Shy-Drager syndrome. *Clin. Rec.*, 610
McGovern, E., Walsh, M., Timon, C. I. and McShane, D. Treatment of combined and critically low tracheal stenoses secondary to burn inhalation injury. *Clin. Rec.*, 1083
McIntosh, W. A., Urquhart, A. C. and Fung, G. Isolated sphenoiditis: A diagnostic problem. *Clin. Rec.*, 526
McKee, G. J., Smyth, G. D. L., Kerr, A. G. and Toner, J. G. Role and results of cortical mastoidectomy and endolymphatic sac surgery in Menière's disease. *Orig. Art.*, 1161
McShane, D., El Sherif, I., Doyle-Kelly, W., Fennell, G. and Walsh, M. Dermoids ('hairy polyps') of the oro-nasopharynx. *Clin. Rec.*, 612
McShane, D., McGovern, E., Walsh, M. and Timon, C. I. Treatment of combined and critically low tracheal stenoses secondary to burn inhalation injury. *Clin. Rec.*, 1083
McShane, D., Ward, D. and Rabie, I. Bacterial tracheitis. *Orig. Art.*, 1059
Meiring, J. H. and McDonagh, M. Endoscopic transnasal dacryocystorhinostomy. *Orig. Art.*, 585
Micheau, C., Schwaab, G., Marandas, P., Friedman, S. and Klijanienko, J. Clear cell carcinoma in pleomorphic adenoma of the minor salivary gland. *Clin. Rec.*, 789
Mickel, R. A., Bredenkamp, J. K., Hutcherson, R. W. and Buchholtz, B. D. Two-stage temporalis flap reconstruction for facial paralysis. *Orig. Art.*, 672
Milford, C. A., Mugliston, T. A., O'Flynn, P. and McCarthy, K. Carcinoma arising in a pleomorphic adenoma of the epiglottis. *Clin. Rec.*, 324
Mills, R. and Albizzati, C. Out-patient examination of the upper airway: A survey of current practice in the U.K. *Orig. Art.*, 272
Mills, R., Christmas, H. and Padgam, N. Has the increasing use of grommets influenced the frequency of surgery for cholesteatoma? *Orig. Art.*, 1034
Milroy, C., Jonathan, D. and Lund, V. Allergic aspergillus sinusitis—An overlooked diagnosis? *Orig. Art.*, 1181
Milroy, C. M., Robinson, P. J. and Grant, H. R. Primary composite squamous cell carcinoma and large cell neuroendocrine carcinoma of the hypopharynx. *Path. Focus*, 1093
Milroy, C., Parker, A. and Slack, R. W. T. Rare submandibular swelling (Capillary haemangioma). *Clin. Rec.*, 632
Ming, C. C. and Ghani, S. A. Fractured tracheostomy tube in the tracheobronchial tree. *Clin. Rec.*, 335
Mingrino, S., Visonà, A., 'Fiore, D. L., Macchi, C., Ferlito, A., Pesavento, G. and Recher, G. Intracranial pneumocephalus (secondary to fronto-ethmoidal osteoma). *Rad. Focus*, 634
Miselvich, I., Boss, J. H., Fradis, M., Podoshin, L. and Goldstein, Y. Cervical Echinococcal hydatid cyst. *Clin. Rec.*, 435
Mishra, S. C., Shukla, G. K., Bhatia, N. and Pant, M. C. A rational classification of angiofibromas of the post nasal space. *Orig. Art.*, 912
Misselevitch, I., Boss, J. H., Podoshin, L., Fradis, M. and Goldstein, J. Intrahyoid thyroglossal cyst. *Clin. Rec.*, 539
Mistry, C. D., Keith, A. O., Ramsden, R. T. and Clements, M. R. Recovery from sensorineural deafness in Wegener's granulomatosis. *Clin. Rec.*, 515
Mitchell, D. B., Djazeri, B., Evans, J. N. G. and Quiney, R. E. Recurrent meningitis in children due to inner ear abnormalities. *Orig. Art.*, 473
Miwa, T., Kamide, M., Sakumoto, M., Umeda, R. and Furukawa, M. Three cases of inter-sterno-costo-clavicular ossification associated with tonsillar infection. *Clin. Rec.*, 783
Moeneclaey, L., Marquet, J. and Declau, F. Normal growth pattern of the middle ear cleft in the human fetus. *Orig. Art.*, 461
Moffat, D. A. and Hardy, D. G. Surgical management of large glomus jugulare tumours: Infra- and trans-temporal approach. *Orig. Art.*, 1167
Moffat, D. A., Baguley, D., Evans, R. A. and Hardy, D. G. Mastoid ache in acoustic neuroma. *Orig. Art.*, 1043
Moffat, D. A., Baguley, D. M., Hardy, D. G. and Tsui, Y. N. Contralateral auditory brainstem response abnormalities in acoustic neuroma. *Orig. Art.*, 835
Moffat, D. A., Croxson, G. R., Baguley, D. M. and Hardy, D. G. Facial nerve recovery after acoustic neuroma tumour removal. *Orig. Art.*, 169
Moffat, D. A., Evans, R. A., Harries, M. A. and Baguley, D. M. Reliability of the House and Brackmann grading system for facial palsy. *Orig. Art.*, 1045
Moffat, D. A., Hardy, D. G. and Baguley, D. M. Strategy and benefits of acoustic neuroma searching. *Orig. Art.*, 51
Moffat, D. A., Hardy, D. G., Baguley, D. M. and Croxson, G. R. Role of post-operative electroneuronography in predicting facial nerve recovery after acoustic neuroma removal. *Orig. Art.*, 60
Moffat, D. A., Harries, M. L. L. and Baguley, D. M. Hearing aids—a case for review. *Orig. Art.*, 850
Moffat, D. A., Harries, M. L. L., Baguley, D. M. and Hardy, D. G. Unterberger's stepping test in acoustic neuroma. *Orig. Art.*, 839
Moffat, D. A., McFerran, D. J. and Baguley, D. Aberrant reinervation of the stapedius muscle following facial palsy. *Clin. Rec.*, 205
Moffat, D. A., Varley, E. W. B. and Nigam, A. Benign paroxysmal positional vertigo resulting from surgical trauma. *Clin. Rec.*, 203
Morgan, D. A., MacLennan, K., Bradley, P. J., Narula, A., Harvey, L. and Holland, I. Haemangiopericytoma of the larynx. *Path. Focus*, 234
Morgan, D. W. and Drake-Lee, A. B. Nasal polyps and sinusitis in children with cystic fibrosis. *Orig. Art.*, 753
Morgan, D. W. and Shenoi, P. M. Swimming in chlorinated water and its effect on Eustachian tube function. *Orig. Art.*, 25
Morgan, M. H., Bevan, K. and Griffiths, M. V. Cricothyroid muscle paralysis: its recognition and diagnosis. *Orig. Art.*, 191
Morgan, W. E. and Beggs, D. Spontaneous perforation of cervical oesophagus associated with oesophageal web. *Clin. Rec.*, 537
Morrison, G. A. J. Pulsatile tinnitus and dural arteriovenous malformation. *Clin. Rec.*, 1073
Morrison, G. A. J., Butler, P. and Booth, J. B. AIDS to the post nasal space. *Rad. Focus*, 1091
Morrissey, M. S. C. and Alun-Jones, T. A case of jaw locking. *Clin. Rec.*, 419
Mould, R. F. Norris Wolfenden and X-rays. *Orig. Art.*, 1020
Muchnik, C., Hildesheimer, M., Rubinstein, M. and Gleitman, Y. Validity of tympanometry in cases of confirmed otosclerosis. *Orig. Art.*, 36
Muchnik, C., Rubinstein, M., Goodman, R. M., Hildesheimer, M. and Maayan, Z. Auditory and vestibular findings in Waardenburg's Type II syndrome. *Orig. Art.*, 1130
Mugliston, T. A., O'Flynn, P., McCarthy, K. and Milford, C. A. Carcinoma arising in a pleomorphic adenoma of the epiglottis. *Clin. Rec.*, 324
Munro, A. J., Stafford, N. D., Herdman, R. C. D. and Forster, S. Kaposi's sarcoma of the head and neck in patients with AIDS. *Orig. Art.*, 379
Murrant, N. J. and Gatland, D. J. Temporal bone laboratory training for stapedectomy. *Orig. Art.*, 833
Murray, J. A. M., Smith, I. M., Turnbull, L. W. and Sellar, R. J. CT Air meatography: Review of side effects in 60 patients. *Orig. Art.*, 173
Murray, J. A. M., Welsby, P. D. and Kelleher, R. J. Recurrent meningitis associated with meningioma of the mastoid cavity. *Clin. Rec.*, 99
Murty, G. E. and Smith, M. C. F. Recurrent laryngeal nerve palsy following heart-lung transplantation: three cases of vocal cord augmentation in the acute phase. *Clin. Rec.*, 968

Nachiappan, M., Banerjee, A. and Subba Rao, K. S. V. K. Perforated telescoping double catheter for uncontaminated endobronchial sampling—a new technique. *Orig. Art.*, 310

Nagle, M. and Mains, B. Thrombosis of the internal carotid artery due to soft palate injury. *Clin. Rec.*, 796
Nahl, S. S., Kent, S. E. and Curry, A. R. Treatment of auricular haematoma by silicone rubber splints. *Orig. Art.*, 1146
Nair, S., Thomas, S. and Kurien, M. Angiosarcoma of the nasal cavity and maxillary antrum. *Clin. Rec.*, 874
Nakashima, T., Inamitsu, M., Uemura, T. and Sugimoto, T. Immunopathology of polymorphic reticulosis of the larynx. *Clin. Rec.*, 955
Narula, A., Harvey, L., Holland, I., Morgan, D. A., MacLennan, K. and Bradley, P. J. Haemangiopericytoma of the larynx. *Path. Focus*, 234
Narula, A., MacLennan, K. A., Bradley, P. J. and Cumberworth, V. L. Mucoepidermoid carcinoma of the larynx. *Clin. Rec.*, 420
Nasar, B., Hiranandani, N. and Grewal, D. S. External rhinoplasty in the tropics. *Short Comm.*, 1198
Nauta, J., Karim, A. B. M. F., Tierie, A. H., Koka, V. N., Tiwari, R. M., Van Der Waal, I. and Snow, G. B. Adenoid cystic carcinoma of the salivary glands: Clinicopathological survey of 51 patients. *Orig. Art.*, 675
Newton, V. E. Genetic counselling for isolated hearing loss. *Orig. Art.*, 12
Nicolaides, A., Fisher, C. and Rhys-Evans, P. H. Metastatic melanoma of the tonsil. *Path. Focus.*, 890
Nicolaides, A. R., Rhys Evans, P. and Fisher, C. Adenosquamous carcinoma of the thyroid gland. *Clin. Rec.*, 978
Nielsen, P. L., Walsted, A. and Thomsen, J. Two malignant melanomas in skin and tonsil during consecutive pregnancies. *Clin. Rec.*, 780
Nigam, A., Campbell, J. B. and Brain, D. J. The Birmingham and Midland Ear, Nose and Throat Hospital: An obituary. *Orig. Art.*, 815
Nigam, A., Moffat, D. A. and Varley, E. W. B. Benign paroxysmal positional vertigo resulting from surgical trauma. *Clin. Rec.*, 203
Nishikawa, H., Kirkham, N. and Hogbin, B. M. Synchronous extra-parotid Warthin's tumour. *Clin. Rec.*, 792
Nishimura, T., Takimoto, T., Kamide, M., Ishikawa, S. and Umeda, R. Agenesis of the cervical internal carotid artery. *Clin. Rec.*, 707
Nkanza, N. K. and Tumushime-Buturo, C. G. Glial teratoma thought to be a lingual thyroid. *Clin. Rec.*, 620
Nofal, F. and Thomas, M. Liposarcoma in the pharynx. *Clin. Rec.*, 1080
Nunez, D. A., Lang, W. and Pollock, J. G. Associated carotid body tumour and pharyngeal pouch. *Clin. Rec.*, 531
Nunez, D. A., Sutherland, C. G. G. and Sood, R. K. Breast metastasis from a pharyngeal carcinoma. *Clin. Rec.*, 227

O'Callaghan, C., Dryden, S., Cert, D. N. and Gibbin, K. Asthma therapy and a tracheostomy. *Clin. Rec.*, 427
O'Connell, J. E., Raafat, F. and Proops, D. Congenital subglottic fibromatosis. *Path. Focus*, 983
O'Dwyer, T. P. and Timon, C. I. Ethmoidal mucocoeles in children. *Orig. Art.*, 284
O'Dwyer, T. P., Timon, C. and Walsh, M. A. Surgical management of drooling in the neurologically damaged child. *Orig. Art.*, 750
O'Flynn, P., McCarthy, K., Milford, C. A. and Mugliston, T. A. Carcinoma arising in a pleomorphic adenoma of the epiglottis. *Clin. Rec.*, 324
Okabe, Y., Ito, M., Umeda, R. and Takimoto, T. Intravagal parathyroid adenoma. *Clin. Rec.*, 704
Olsen, L., Rundcrantz, H., Åkerlund, A. and Klint, T. Nasal decongestant effect of Oxymetazolone in the common cold: An objective dose-response study in 106 patients. *Orig. Art.*, 743
O'Reilly, B. F. and Stewart, E. J. Klippel-Feil syndrome and conductive deafness. *Clin. Rec.*, 947
O'Reilly, B. J. and Zuk, R. Transitional-type papilloma of the nasopharynx. *Clin. Rec.*, 528
O'Reilly, B. J., Ryan, J., Reynard, J. and Chevretton, E. Malignant fibrous histiocytoma of the nasopharynx. *Clin. Rec.*, 1076
O'Reilly, B., Teasdale, E., Todd, N. V. and Reece, A. T. Subarachnoid fat embolism complicating autologous fat grafting following translabyrinthine excision of acoustic neuroma. *Clin. Rec.*, 870
Osammor, J. Y. and Baruah, A. K. Unexplained neurological problems after mastoid surgery. *Orig. Art.*, 269
Osammor, J. Y., Cherry, J. R. and Dalziel, M. Lingual abscess: the value of ultrasound in diagnosis. *Clin. Rec.*, 950
Ozsahinoglu, C., Kivanc, F., Secinti, E. and Cetik, F. Alveolar soft part sarcoma of the tongue. *Clin. Rec.*, 952

Padel, A. F., Capper, J. W. R. and Habashi, S. Carcinoma of the laryngeal saccule: A biopsy technique to make a difficult diagnosis. *Clin. Rec.*, 692
Padgam, N., Mills, R. and Christmas, H. Has the increasing use of grommets influenced the frequency of surgery for cholesteatoma? *Orig. Art.*, 1034
Pambakian, H., Saldanha, C. B. R., Bennett, J. D. C. and Evans, J. N. G. Metastasis to the temporal bone, secondary to carcinoma of the bladder. *Clin. Rec.*, 599
Pant, M. C., Mishra, S. C., Shukla, G. K. and Bhatia, N. A rational classification of angiofibromas of the post nasal space. *Orig. Art.*, 912
Pareschi, R., Parma, A., Sonzogni, A., Calabrese, V. and Cifola, M. Primary malignant melanoma of the oral cavity. *Path. Focus.*, 887
Parker, A. J. and Maw, A. R. Treatment of glue ear in relation to radiographic palatal airway size: a predictor for outcome following adenoidectomy? *Orig. Art.*, 66
Parker, A., Slack, R. W. T. and Milroy, C. Rare submandibular swelling (Capillary haemangioma). *Clin. Rec.*, 632
Parker, D. A., Reid, A. P. and Patel, P. J. Localized middle ear effusions: Three unusual acute cases in adults. *Clin. Rec.*, 83
Parma, A., Sonzogni, A., Calabrese, V., Cifola, M. and Pareschi, R. Primary malignant melanoma of the oral cavity. *Path. Focus.*, 887
Patel, P. J., Parker, D. A. and Reid, A. P. Localized middle ear effusions: Three unusual acute cases in adults. *Clin. Rec.*, 83
Paulose, K. O., Al Khalifa, S., Raj, S. S. and Saeed, T. Pilonidal sinus of the nose. *Clin. Rec.*, 1210
Paulose, K. O., Al Khalifa, S., Shenoy, P. and Sharma, R. K. Maxillary antral lavage—infiltration and surface anaesthesia compared. *Orig. Art.*, 582
Paulose, K. O., Al Khalifa, S., Shenoy, P. and Sharma, R. K. Myotic infection of the ear (otomycosis). *Orig. Art.*, 30
Paulose, K. O., Khalifa, S. A., Sharma, R. and Shenoy, P. Osteoma of the ear canal presenting with headache. *Clin. Rec.*, 683
Paulose, K. O. and Krishnamurthy, S. N. Vocal cord paralysis with Ebstein's anomaly. *Clin. Rec.*, 626
Pesavento, G., Recher, G., Mingrino, S., Visonà, A., 'Fiore, D. L. Macchi, C. and Ferlito, A. Intracranial pneumocephalus (secondary to fronto-ethmoidal osteoma). *Rad. Focus*, 634
Phelps, P. D. and Stansbie, J. M. Air in the neck. *Rad. Focus*, 337
Phelps, P. D., Croft, C. B. and Annis, J. A. D. A revealing C.T. examination in nasopharyngeal carcinoma. *Rad. Focus*, 801
Philippakis, C. and Eliopoulos, P. N. Prevention of post-operative intra-nasal adhesions (a new material). *Orig. Art.*, 664
Phillips, A. J., Haacke, N. P., Rhys-Williams, S., Thornton, A. R. D. and Farrell, G. Verification of a new test of endolymphatic hydrops. *Orig. Art.*, 1136
Phillips, J. J., Reid, A., Marchbanks, R. J. and Jarrar, R. F. Objective tinnitus and tympanic membrane displacement. *Clin. Rec.*, 872
Podoshin, L., Fradis, M. and Ben David, J. Ototoxicity of ear drops in patients suffering from chronic otitis media. *Orig. Art.*, 46
Podoshin, L., Fradis, M., Goldstein, J., Misselevitch, I. and Boss, J. H. Intrahyoid thyroglossal cyst. *Clin. Rec.*, 539
Podoshin, L., Goldstein, Y., Miselvich, I., Boss, J. H. and Fradis, M. Cervical Echinococcal hydatid cyst. *Clin. Rec.*, 435
Podoshin, L., Simon, J., Lazarov, N., Shagrawi, I., Boss, J. H. and Fradis, M. Combined treatment of large head and neck capillaro-venous malformation by a fibrosing agent. *Orig. Art.*, 390
Polli, G., De Meester, W. and Alajmo, E. Total parotidectomy—a routine treatment of parotid gland swellings? *Orig. Art.*, 181
Pollock, J. G., Nunez, D. A. and Lang, W. Associated carotid body tumour and pharyngeal pouch. *Clin. Rec.*, 531
Prellner, K., Löfgren, B., Heldrup, J., Kalm, O., Kornfalt, R. and Harsten, G. Serum antibodies against respiratory tract viruses. A prospective three-year follow-up from birth. *Orig. Art.*, 904
Premachandra, D. J. and Radcliffe, G. Bilateral facial nerve palsy following secretory otitis media. *Clin. Rec.*, 685

Proops, D., O'Connell, J. E. and Raafat, F. Congenital subglottic fibromatosis. *Path. Focus*, 983
Proops, D. W., Smallman, L. A., Stores, O. P. R. and Watson, M. G. Cryptococcosis of the larynx. *Clin. Rec.*, 214
Puhakka, H. J. Complications of mediastinoscopy. *Orig. Art.*, 312

Quiney, R. E., Cheesman, A. D. and Golding-Wood, D. G. Carcinoma of the ear: Retrospective analysis of 61 patients. *Orig. Art.*, 653
Quiney, R. E., Mitchell, D. B., Djazeri, B. and Evans, J. N. G. Recurrent meningitis in children due to inner ear abnormalities. *Orig. Art.*, 473

Raafat, F., Proops, D. and O'Connell, J. E. Congenital subglottic fibromatosis. *Path. Focus*, 983
Rabie, I., McShane, D. and Ward, D. Bacterial tracheitis. *Orig. Art.*, 1059
Radcliffe, G. and Premachandra, D. J. Bilateral facial nerve palsy following secretory otitis media. *Clin. Rec.*, 685
Radstone, D. J. and Capper, J. W. R. Adenocarcinoma of the ethmoid sinuses in High Wycombe, 1986. *Orig. Art.*, 1050
Raisanen, S. and Stenfors, L-E. Presence of *Branhamella catarrhalis* alters the survival of *Streptococcus pneumoniae* and *Haemophilus influenzae* in middle ear effusion: An *in vitro* study. *Orig. Art.*, 1030
Rajaratnam, K. and Desai, S. Pedunculated squamous papilloma of the laryngopharynx. *Clin. Rec.*, 209
Rajshekar, V. and Chandy, M. J. Non-traumatic intracavernous carotid aneurysm presenting with epistaxis. *Clin. Rec.*, 425
Rajshekhar, V., Bhanu, T. S., Chandi, S. M. and Rupa, V. Primary chondroid chordoma of the base of the petrous temporal bone. *Clin. Rec.*, 771
Raj, S. S., Saeed, T., Paulose, K. O. and Al Khalifa, S. Pilonidal sinus of the nose. *Clin. Rec.*, 1210
Ramakantan, R. and Shah, P. Anterior neck lipoma masquerading as an external laryngocoele. *Clin. Rec.*, 1087
Ramsden, R. T., Clements, M. R., Mistry, C. D. and Keith, A. O. Recovery from sensorineural deafness in Wegener's granulomatosis. *Clin. Rec.*, 515
Ramsden, R. T., West, P. D. B. and Gholkar, A. Wildervanck's syndrome—unilateral Mondini dysplasia identified by computed tomography. *Clin. Rec.*, 408
Rao, A. J., Yanagita, N., Asami, K., Yokoi, H. and Hattori, T. Metastatic gallbladder carcinoma of the palatine tonsil. *Clin. Rec.*, 211
Rask-Anderson, H., Filipo, R., Barbara, M. and Bagger-Sjöback, D. Does severe water deprivation affect the inner ear? *Orig. Art.*, 22
Recher, G., Mingrino, S., Visonà, A., 'Fiore, D. L. Macchi, C., Ferlito, A. and Pesavento, G. Intracranial pneumocephalus (secondary to fronto-ethmoidal osteoma). *Rad. Focus*, 634
Reece, A. T., O'Reilly, B., Teasdale, E. and Todd, N. V. Subarachnoid fat embolism complicating autologous fat grafting following translabyrinthine excision of acoustic neuroma. *Clin. Rec.*, 870
Regezi, J. A., Luna, M. A., El-Naggar, A. and Batsakis, J. G. Histogenesis of salivary gland neoplasms: a postulate with prognostic implications. *Orig. Art.*, 939
Reid, A. P., Patel, P. J. and Parker, D. A. Localized middle ear effusions: Three unusual acute cases in adults. *Clin. Rec.*, 83
Reid, A., Marchbanks, R. J., Jarrar, R. F. and Phillips, J. J. Objective tinnitus and tympanic membrane displacement. *Clin. Rec.*, 872
Reilly, P. G. Congenital cholesteatoma presenting as a post-auricular mass. *Clin. Rec.*, 1069
Remacle, M., Declaye, X. and Mayne, A. Subglottic haemangioma in the infant: contribution by laser CO_2. *Orig. Art.*, 930
Revonta, M. and Suonpää, J. Diagnosis of frontal sinusitis. *Short Comm.*, 765
Reynard, J., Chevretton, E., O'Reilly, B. J. and Ryan, J. Malignant fibrous histiocytoma of the nasopharynx. *Clin. Rec.*, 1076
Rhys Evans, P. H. Complications in head and neck surgery and how to avoid trouble. *Orig. Art.*, 926
Rhys Evans, P., Fisher, C. and Nicolaides, A. R. Adenosquamous carcinoma of the thyroid gland. *Clin. Rec.*, 978
Rhys Evans, P., Jayne, D., Hoare, T. J., Croft, C. B. and Howard, D. J. Wegener's granulomatosis, subglottic stenosis and anti-neutrophil cytoplasm antibodies. *Orig. Art.*, 1187
Rhys Evans, P. H., Nicolaides, A. and Fisher, C. Metastatic melanoma of the tonsil. *Path. Focus.*, 890
Rhys Williams, S., Robinson, P. J. and Brightwell, A. P. Management of the inflammatory aural polyp. *Orig. Art.*, 1040
Rhys Williams, S., Thornton, A. R. D., Farrell, G., Phillips, A. J. and Haacke, N. P. Verification of a new test of endolymphatic hydrops. *Orig. Art.*, 1136
Rickhuss, P. K. and Dent, J. A. Invasive pituitary adenoma presenting with nasal obstruction. *Clin. Rec.*, 605
Rifai, M. Laryngotracheal resection for post scleromatous laryngeal stenosis. *Orig. Art.*, 935
Rinon, R. P., Hanson, D. R., Fenwick, J. D. and Clayton, M. I. Evaluation of recent experience in hypoglossal-facial nerve anastomosis in the treatment of facial palsy. *Orig. Art.*, 63
Rivron, R. P. Bifid uvula: Prevalence and association in otitis media with effusion in children admitted for routine otolaryngological operations. *Orig. Art.*, 249
Robb, P. J. and Girling, A. Granular cell myoblastoma of the supraglottis. *Clin. Rec.*, 328
Robertshaw, D., Flood, L. M., Hart, J. J. and Jones, M. G. A system for accelerated provision of hearing aids to residents of homes for the elderly. *Orig. Art.*, 485
Robertson, M. R. and Sim, D. W. Right vocal cord paralysis after internal jugular vein cannulation. *Clin. Rec.*, 424
Robin, P. E. and Davis, A.-E. Transpalatal approach to the petrous apex. *Clin. Rec.*, 94
Robinson, A. C. and Lukaszewicz, C. M. Bilateral carotid body tumours. *Rad. Focus*, 543
Robinson, A. C. Evaluation for waterproof ear protectors in swimmers. *Orig. Art.*, 1154
Robinson, A. C. R., Khoury, G. G. and Robinson, P. M. Role of irradiation in the suppression of parotid secretions. *Orig. Art.*, 594
Robinson, J. M. and Solomons, N. B. Bone pâté repair of the eroded incus. *Orig. Art.*, 41
Robinson, P. J. and Hazell, J. W. P. Patulous Eustachian tube syndrome: The relationship with sensorineural hearing loss. Treatment by Eustachian tube diathermy. *Orig. Art.*, 739
Robinson, P. J., Brightwell, A. P. and Rhys Williams, S. Management of the inflammatory aural polyp. *Orig. Art.*, 1040
Robinson, P. J., Grant, H. R. and Milroy, C. M. Primary composite squamous cell carcinoma and large cell neuroendocrine carcinoma of the hypopharynx. *Path. Focus*, 1093
Robinson, P. M., Robinson, A. C. R. and Khoury, G. G. Role of irradiation in the suppression of parotid secretions. *Orig. Art.*, 594
Robson, A. K., Clarke, P. M., Dilkes, M. and Maw, A. R. Transmastoid extracranial repair of CSF leaks following acoustic neuroma resection. *Orig. Art.*, 842
Robson, A. K., Jones, A. J. and Slack, R. W. T. CSF otorrhoea secondary to a tegmen defect. *Rad. Focus*, 980
Rogers, J. H. and Stoney, P. J. Attitudes to tympanometry. *Orig. Art.*, 657
Rogers, M., Blanshard, J. and Veitch, D. Parapharyngeal mass presenting with sleep apnoea. *Clin. Rec.*, 961
Rolfe, M. E. and Lund, V. J. Ophthalmic considerations in fronto-ethmoidal mucocoeles. *Orig. Art.*, 667
Rubel, Y., Bar-Ziv, J., Zohar, Y., Finkelstein, Y. and Talmi, Y. P. Otitis media with effusion as a presenting symptom of chronic sinusitis. *Orig. Art.*, 827
Rubinstein, M., Gleitman, Y., Muchnik, C. and Hildesheimer, M. Validity of tympanometry in cases of confirmed otosclerosis. *Orig. Art.*, 36
Rubinstein, M., Goodman, R. M., Hildesheimer, M., Maayan, Z. and Muchnik, C. Auditory and vestibular findings in Waardenburg's Type II syndrome. *Orig. Art.*, 1130
Rubin, J. S. Repair of post-laryngectomy pharyngeal fistulae. *Orig. Art.*, 302

Rundcrantz, H., Åkerlund, A., Klint, T. and Olsen, L. Nasal decongestant effect of Oxymetazolone in the common cold: An objective dose-response study in 106 patients. *Orig. Art.*, 743
Rupa, V. and Bhanu, T. S. Laryngeal tuberculosis in the eighties—an Indian experience. *Orig. Art.*, 864
Rupa, V., Mathew, J., Bhanu, T. S. and Date, A. Paediatric laryngeal tuberculosis presenting with stridor. *Clin. Rec.*, 787
Rupa, V., Rajshekhar, V., Bhanu, T. S. and Chandi, S. M. Primary chondroid chordoma of the base of the petrous temporal bone. *Clin. Rec.*, 771
Ryan, J., Reynard, J., Chevretton, E. and O'Reilly, B. J. Malignant fibrous histiocytoma of the nasopharynx. *Clin. Rec.*, 1076

Sadé, J. and Bernheim, J. Histopathology of the soft parts in 50 patients with malignant otitis externa. *Orig. Art.*, 366
Saeed, T., Paulose, K. O., Al Khalifa, S. and Raj, S. S. Pilonidal sinus of the nose. *Clin. Rec.*, 1210
Sakumoto, M., Umeda, R., Furukawa, M., Miwa, T. and Kamide, M. Three cases of inter-sterno-costo-clavicular ossification associated with tonsillar infection. *Clin. Rec.*, 783
Salama, A. W. and Shehata, M. A. Clofazimin in the treatment of scleroma. *Orig. Art.*, 856
Saldanha, C. B. R., Bennett, J. D. C., Evans, J. N. G. and Pambakian, H. Metastasis to the temporal bone, secondary to carcinoma of the bladder. *Clin. Rec.*, 599
Sambe, S., Kataura, A., Enomoto, K., Kawai, N. and Asakura, K. Metastatic squamous cell carcinoma of the paranasal sinuses from a primary squamous cell carcinoma of the urinary bladder. *Clin. Rec.*, 602
Samuel, J. and Eitelberg, E. Tuning forks: the problem of striking. *Orig. Art.*, 1
Samuel, J. and Fernandes, C. M. C. Mycotic aneurysm of the petrous portion of the internal carotid artery. *Clin. Rec.*, 111
Satoh, M., Kodama, H., Takezawa, H., Suzuki, T., Kobayashi, K., Kataura, A. and Wakabayashi, J. Carcinoid tumour of the middle ear. *Clin. Rec.*, 86
Schaafsma, H. E., Westerbeek, G. F., Yap, S. H. and Manni, J. J. Rare case of obscure haemorrhage in the upper aero-digestive tract (epiglottis). *Clin. Rec.*, 331
Schwaab, G., Marandas, P., Friedman, S., Klijanienko, J. and Micheau, C. Clear cell carcinoma in pleomorphic adenoma of the minor salivary gland. *Clin. Rec.*, 789
Schwarz, M. A., Toner, G. C. and Thomas, R. L. Metastatic bone marrow involvement from supraglottic squamous cell carcinoma. *Clin. Rec.*, 225
Secinti, E., Cetik, F., Ozsahinoglu, C. and Kivanc, F. Alveolar soft part sarcoma of the tongue. *Clin. Rec.*, 952
Sellar, R. J., Murray, J. A. M., Smith, I. M. and Turnbull, L. W. CT Air meatography: Review of side effects in 60 patients. *Orig. Art.*, 173
Sellar, R. J., Sharp, J. F., Kerr, A. I. G. and Carder, P. Facial schwannoma without facial paralysis. *Clin. Rec.*, 973
Semeraro, D., Knight, L. C., Griffiths, G. J. and Davies, J. E. Middle ear neoplasms showing adenomatous and neuroendocrine components. *Clin. Rec.*, 404
Shagrawi, I., Boss, J. H., Fradis, M., Podoshin, L., Simon, J. and Lazarov, N. Combined treatment of large head and neck capillaro-venous malformation by a fibrosing agent. *Orig. Art.*, 390
Shah, P. and Ramakantan, R. Anterior neck lipoma masquerading as an external laryngocoele. *Clin. Rec.*, 1087
Sharma, A., Goel, R., Lal, H., Kumar, L. and Kohli, G. S. Serum enzymes in head and neck cancer. IV: 5-nucleotidase. *Orig. Art.*, 200
Sharma, H., Dayal, D. and Agarwal, S. P. Nasal myiasis: Review of 10 years' experience. *Orig. Art.*, 489
Sharma, H. S., Srinivasan, V. and Majumder, N. K. Malignant fibrous histiocytoma of larynx. *Clin. Rec.*, 219
Sharma, R. K., Paulose, K. O., Al Khalifa, S. and Shenoy, P. Maxillary antral lavage—infiltration and surface anaesthesia compared. *Orig. Art.*, 582
Sharma, R. K., Paulose, K. O., Al Khalifa, S. and Shenoy, P. Myotic infection of the ear (otomycosis). *Orig. Art.*, 30
Sharma, R., Shenoy, P., Paulose, K. O. and Khalifa, S. A. Osteoma of the ear canal presenting with headache. *Clin. Rec.*, 683
Sharp, J. F., Kerr, A. I. G., Carder, P. and Sellar, R. J. Facial schwannoma without facial paralysis. *Clin. Rec.*, 973
Shehata, M. A. and Salama, A. W. Clofazimin in the treatment of scleroma. *Orig. Art.*, 856
Shem-Tov, Y., Zohar, Y., Talmi, Y. P. and Finkelstein, Y. Use of a Braunula for maxillary sinus irrigation. *Orig. Art.*, 279
Shenoi, P. M. and Morgan, D. W. Swimming in chlorinated water and its effect on Eustachian tube function. *Orig. Art.*, 257
Shenoy, P., Paulose, K. O., Khalifa, S. A. and Sharma, R. Osteoma of the ear canal presenting with headache. *Clin. Rec.*, 683
Shenoy, P., Sharma, R. K., Paulose, K. O. and Al Khalifa, S. Maxillary antral lavage—infiltration and surface anaesthesia compared. *Orig. Art.*, 582
Shenoy, P., Sharma, R. K., Paulose, K. O. and Al Khalifa, S. Myotic infection of the ear (otomycosis). *Orig. Art.*, 30
Shotton, J. C., Ludman, H. and Cox, T. C. S. Temporal bone venous anomaly of surgical siginificance. *Clin. Rec.*, 101
Shotton, J. C., Ludman, H. and Davies, R. Persisting nystagmus following vestibular nerve section for Menière's disease. *Orig. Art.*, 263
Shuangshoti, S. and Kasantikul, V. Primary intracranial mesenchymal chondrosarcoma. *Path. Focus.*, 545
Shukla, G. K., Bhatia, N., Pant, M. C. and Mishra, S. C. A rational classification of angiofibromas of the post nasal space. *Orig. Art.*, 912
Simon, J., Lazarov, N., Shagrawi, I., Boss, J. H., Fradis, M. and Podoshin, L. Combined treatment of large head and neck capillaro-venous malformation by a fibrosing agent. *Orig. Art.*, 390
Simpson, D. C. and McClymont, L. G. Noise levels and exposure patterns to Do-It-Yourself power tools. *Orig. Art.*, 1140
Simpson, R. D., McCormick, D., Johnstone, C. I. and Hussain, S. S. M. Langerhan s cell histiocytosis in the sphenoid sinus: A case of diabetes insipidus. *Clin. Rec.*, 877
Sim, D. W. and Robertson, M. R. Right vocal cord paralysis after internal jugular vein cannulation. *Clin. Rec.*, 424
Sim, D. W. Co-existent inverted papilloma and squamous carcinoma of the nasal septum. *Clin. Rec.*, 774
Sim, D. W. Spiral prominence epithelium. *Orig. Art.*, 1122
Sim, D. W. The E.N.T. consultation: A prospective study of the doctor's and the patient's perceptions. *Orig. Art.*, 363
Sinha, K. P., Chandrachud, H. R. and Chaurasia, M. K. Subtotal laryngectomy with myomucosal shunt. *Orig. Art.*, 504
Sirimana, K. S. Calcium alginate fibre (Kaltostat®) for nasal packing after trimming of turbinates. A pilot study. *Short Comm.*, 1067
Sisson, P. R., Kearns, A. M., Ingham, H. R. and Diamond, C. Bacteriology of chronic otitis media with effusion. *Orig. Art.*, 369
Skinner, D. W. and Bradley, P. J. Psychogenic stridor. *Orig. Art.*, 383
Slack, R. W. T., MacLeod, T. I. F., Bacon, M. P. and Chevretton, E. B. Verrucous carcinoma of the maxillary antrum. *Clin. Rec.*, 415
Slack, R. W. T., Milroy, C. and Parker, A. Rare submandibular swelling (Capillary haemangioma). *Clin. Rec.*, 632
Slack, R. W. T., Robson, A. K. and Jones, A. J. CSF otorrhoea secondary to a tegmen defect. *Rad. Focus*, 980
Sleeman, D. and Turner, R. Spontaneous pneumomediastinum with alteration in voice. *Clin. Rec.*, 1222
Smallman, L. A., Stores, O. P. R., Watson, M. G. and Proops, D. W. Cryptococcosis of the larynx. *Clin. Rec.*, 214
Smelt, G. J. C., MacDonald, A., Woodhead, C. J. and Wickham, M. J. Some observations on submucous diathermy. *Orig. Art.*, 1047
Smith, F. B., Batsakis, J. G., Bruner, J. M. and Cleary, K. R. Immunocytochemical identification of HIV (p24) antigen in parotid lymphoid lesions. *Orig. Art.*, 1063
Smith, I. M., Turnbull, L. W., Sellar, R. J. and Murray, J. A. M. CT Air meatography: Review of side effects in 60 patients. *Orig. Art.*, 173
Smith, M. C. F. and Murty, G. E. Recurrent laryngeal nerve palsy following heart-lung transplantation: three cases of vocal cord augmentation in the acute phase. *Clin. Rec.*, 968

Smith, M. C. F. and Soames, J. V. Fibrosarcoma of the ethmoid. *Clin. Rec.*, 686
Smyth, G. D. L., Kerr, A. G., Toner, J. G. and McKee, G. J. Role and results of cortical mastoidectomy and endolymphatic sac surgery in Menière's disease. *Orig. Art.*, 1161
Smyth, G. D. L., Lang, J. and Kerr, A. G. Transplanted ossicles after two decades. *Orig. Art.*, 471
Snow, G. B. and Tiwari, R. M. Role of masseter crossover flap in oropharyngeal reconstruction. *Orig. Art.*, 298
Snow, G. B., Nauta, J., Karim, A. B. M. F., Tierie, A. H., Koka, V. N., Tiwari, R. M. and Van Der Waal, I. Adenoid cystic carcinoma of the salivary glands: Clinicopathological survey of 51 patients. *Orig. Art.*, 675
Snow, G. B., Tiwari, R. M., Greven, A. J. and Karim, A. B. M. F. Total glossectomy: reconstruction and rehabilitation. *Orig. Art.*, 917
Soames, J. V. and Jordan, M. B. Fibrous histiocytoma of the larynx. *Clin. Rec.*, 216
Soames, J. V. and Smith, M. C. F. Fibrosarcoma of the ethmoid. *Clin. Rec.* 686
Solomons, N. B. and Robinson, J. M. Bone pâté repair of the eroded incus. *Orig. Art.*, 41
Soni, N. K. Antroscopic study of the maxillary antrum in lepromatous leprosy. *Orig. Art.*, 502
Sonzogni, A., Calabrese, V., Cifola, M., Pareschi, R. and Parma, A. Primary malignant melanoma of the oral cavity. *Path. Focus.*, 887
Sood, R. K., Nunez, D. A. and Sutherland, C. G. G. Breast metastasis from a pharyngeal carcinoma. *Clin. Rec.*, 227
Sreedharan, V. P., Koshy, P., Kumar, S., Anilakumari, C. K. and Krishnamoorthy, S. Culture of Rhinosporidium seeberi: Preliminary report. *Orig. Art.*, 178
Srinivasan, V., Majumder, N. K. and Sharma, H. S. Malignant fibrous histiocytoma of larynx. *Clin. Rec.*, 219
Sriwardhana, K. B., Howard, A. J. and Dunkin, K. T. Bacteriology of otitis media with effusion. *Orig. Art.*, 253
Stafford, N. D., Herdman, R. C. D., Forster, S. and Munro, A. J. Kaposi's sarcoma of the head and neck in patients with AIDS. *Orig. Art.*, 379
Stahl, N. and Ferit, T. Recurrent bilateral peripheral facial palsy. *Clin. Rec.*, 117
Stansbie, J. M. and Phelps, P. D. Air in the neck. *Rad. Focus*, 337
Stenfors, L-E. and Raisanen, S. Presence of *Branhamella catarrhalis* alters the survival of *Streptococcus pneumoniae* and *Haemophilus influenzae* in middle ear effusion: An *in vitro* study. *Orig. Art.*, 1030
Stenfors, L.-E. Repair of tympanic membrane perforations using hyaluronic acid: An alternative to myringoplasty. *Orig. Art.*, 39
Stevens, D. J. and Kallis, S. Acinous cell carcinoma of the larynx. *Path. Focus*, 638
Stevens, D. J. Carcinoma of the pharyngeal pouch. *Clin. Rec.*, 695
Stewart, E. J. and O'Reilly, B. F. Klippel-Feil syndrome and conductive deafness. *Clin. Rec.*, 947
Stoney, P. J. and Rogers, J. H. Attitudes to tympanometry. *Orig. Art.*, 657
Stores, O. P. R., Watson, M. G., Proops, D. W. and Smallman, L. A. Cryptococcosis of the larynx. *Clin. Rec.*, 214
Strong, A. J., Gleeson, M. J. and Cox, T. C. S. Aneurysm of the anterior inferior cerebellar artery mimicking an intracanalicular acoustic neuroma. *Clin. Rec.*, 107
Su, C-Y. A coin as a tracheal foreign body for 30 years. *Clin. Rec.*, 798
Subba Rao, K. S. V. K., Nachiappan, M. and Banerjee, A. Perforated telescoping double catheter for uncontaminated endobronchial sampling—a new technique. *Orig. Art.*, 310
Sugimoto, T., Nakashima, T., Inamitsu, M. and Uemura, T. Immunopathology of polymorphic reticulosis of the larynx. *Clin. Rec.*, 955
Suonpää, J. and Revonta, M. Diagnosis of frontal sinusitis. *Short Comm.*, 765
Sutherland, C. G. G., Sood, R. K. and Nunez, D. A. Breast metastasis from a pharyngeal carcinoma. *Clin. Rec.*, 227
Suzuki, T., Kobayashi, K., Kataura, A., Wakabayashi, J., Satoh, M., Kodama, H. and Takezawa, H. Carcinoid tumour of the middle ear. *Clin. Rec.*, 86
Svendsen, P., Jacobsson, M., Davidsson, A., Hugosson, S. and Tjellström, A. Aberrant intratympanic internal carotid artery: a potentially hazardous anomaly. *Clin. Rec.*, 1202
Swan, I. R. C. Diagnostic vetting of individuals with asymmetric sensorineural hearing impairments. *Orig. Art.*, 823
Swan, I. R. C., Chew, K. K. and Browning, G. G. Clinical role of informed tests of hearing. *Orig. Art.*, 7

Takezawa, H., Suzuki, T., Kobayashi, K., Kataura, A., Wakabayashi, J., Satoh, M. and Kodama, H. Carcinoid tumour of the middle ear. *Clin. Rec.*, 86
Takimoto, T., Akemoto, Y. and Umeda, R. Pharyngeal cyst arising from second branchial cleft. *Clin. Rec.*, 964
Takimoto, T., Kamide, M., Ishikawa, S., Umeda, R. and Nishimura, T. Agenesis of the cervical internal carotid artery. *Clin. Rec.*, 707
Takimoto, T., Okabe, Y., Ito, M. and Umeda, R. Intravagal parathyroid adenoma. *Clin. Rec.*, 704
Takumida, M. and Bagger-Sjöback, D. Effects of amiloride on the endolymphatic sac. *Orig. Art.*, 466
Takumida, M., Fredelius, L., Bagger-Sjöbäck, D., Harada, Y. and Wersäll, J. Effect of acoustic overstimulation on the glycocalyx and the ciliary interconnections in the organ of Corti: High resolution scanning electron microscopic investigation. *Orig. Art.*, 1125
Takumida, M., Urquiza, R., Bagger-Sjöbäck, D. and Wersäll, J. Effect of gentamicin on the carbohydrates of the vestibular end organs: An investigation by the use of FITC-lectins. *Orig. Art.*, 357
Takumida, M., Wersäll, J., Bagger-Sjöbäck, D. and Harada, Y. Observation of the glycocalyx of the organ of Corti: An investigation by electron microscopy in the normal and gentamicin-treated guinea pig. *Orig. Art.*, 133
Talaat, A. M., Bahgat, Y. S., El-Ghazzawy, E. and Elwany, S. Nasopharyngeal bacterial flora before and after adenoidectomy. *Orig. Art.*, 372
Talmi, Y. P., Finkelstein, Y., Shem-Tov, Y. and Zohar, Y. Use of a Braunula for maxillary sinus irrigation. *Orig. Art.*, 279
Talmi, Y. P., Floru, S., Bar-Ziv, J., Zohar, Y., Djaldetti, M. and Cohen, A. M. Ossification of the auricle in Addison's disease. *Rad. Focus*, 885
Talmi, Y. P., Rubel, Y., Bar-Ziv, J., Zohar, Y. and Finkelstein, Y. Otitis media with effusion as a presenting symptom of chronic sinusitis. *Orig. Art.*, 827
Teasdale, E., Todd, N. V., Reece, A. T. and O'Reilly, B. Subarachnoid fat embolism complicating autologous fat grafting following translabyrinthine excision of acoustic neuroma. *Clin. Rec.*, 870
Terry, R. M. and Cook, P. Haemorrhage during minitracheotomy: Reduction of risk by altered incision. *Clin. Rec.*, 207
Thomas, K., Bhanu, T. S. and Kurien, M. Hearing threshold in patients with diabetes mellitus. *Orig. Art.*, 164
Thomas, M. and Nofal, F. Liposarcoma in the pharynx. *Clin. Rec.*, 1080
Thomas, M. R. Factitious illness and the ENT surgeon. *Clin. Rec.*, 882
Thomas, R. L., Schwarz, M. A. and Toner, G. C. Metastatic bone marrow involvement from supraglottic squamous cell carcinoma. *Clin. Rec.*, 225
Thomas, S., Kurien, M. and Nair, S. Angiosarcoma of the nasal cavity and maxillary antrum. *Clin. Rec.*, 874
Thompson, A. C. Surgical reduction of the inferior turbinate in children: extended follow-up. *Orig. Art.*, 577
Thomsen, J., Nielsen, P. L. and Walsted, A. Two malignant melanomas in skin and tonsil during consecutive pregnancies. *Clin. Rec.*, 780
Thomsen, J., Tos, M. and Trojaborg, N. The contralateral ear after translabyrinthine removal of acoustic neuromas. Is there a drill—noise generated loss? *Orig. Art.*, 845
Thomsen, P., Kristensen, S., Tveteràs, K. and Friedmann, I. Nasopharyngeal Warthin's tumour: A metaplastic lesion. *Clin. Rec.*, 616

Thomson, H. G. Septic arthritis of the temporomandibular joint complicating otitis externa. *Clin. Rec.*, 319
Thomson, H. G. and Batch, A. J. G. Flexible oesophagogastroscopy in otolaryngology. *Orig. Art.*, 399
Thomson, H. G., Brockbank, M. J. and Veitch, D. Y. Cerebrospinal fluid in the rhinitis clinic. *Orig. Art.*, 281
Thornton, A. R. D., Farrell, G., Phillips, A. J., Haacke, N. P. and Rhys-Williams, S. Verification of a new test of endolymphatic hydrops. *Orig. Art.*, 1136
Tierie, A. H., Koka, V. N., Tiwari, R. M., Van Der Waal, I., Snow, G. B., Nauta, J. and Karim, A. B. M. F. Adenoid cystic carcinoma of the salivary glands: Clinicopathological survey of 51 patients. *Orig. Art.*, 675
Timms, M. S. and Curley, J. W. A. Incidence of abnormality in routine vocal cord checks. *Orig. Art.*, 1057
Timon, C. I. and O'Dwyer, T. P. Ethmoidal mucocoeles in children. *Orig. Art.*, 284
Timon, C. I. and Walsh, M. A. Sudden sensorineural hearing loss as a presentation of HIV infection. *Clin. Rec.*, 1071
Timon, C. I., Leen, E. and Doyle-Kelly, W. Hypopharyngeal involvement by thyroid cancer. *Clin. Rec.*, 629
Timon, C. I., McShane, D., McGovern, E. and Walsh, M. Treatment of combined and critically low tracheal stenoses secondary to burn inhalation injury. *Clin. Rec.*, 1083
Timon, C., Walsh, M. A. and O'Dwyer, T. P. Surgical management of drooling in the neurologically damaged child. *Orig. Art.*, 750
Tiwari, R. M. and Snow, G. B. Role of masseter crossover flap in oropharyngeal reconstruction. *Orig. Art.*, 298
Tiwari, R. M., Greven, A. J., Karim, A. B. M. F. and Snow, G. B. Total glossectomy: reconstruction and rehabilitation. *Orig. Art.*, 917
Tiwari, R. M., Van Der Waal, I., Snow, G. B., Nauta, J., Karim, A. B. M. F., Tierie, A. H. and Koka, V. N. Adenoid cystic carcinoma of the salivary glands: Clinicopathological survey of 51 patients. *Orig. Art.*, 675
Tjellström, A., Svendsen, P., Jacobsson, M., Davidsson, A. and Hugosson, S. Aberrant intratympanic internal carotid artery: a potentially hazardous anomaly. *Clin. Rec.*, 1202
Todd, N. V., Reece, A. T., O'Reilly, B. and Teasdale, E. Subarachnoid fat embolism complicating autologous fat grafting following translabyrinthine excision of acoustic neuroma. *Clin. Rec.*, 870
Toner, G. C., Thomas, R. L. and Schwarz, M. A. Metastatic bone marrow involvement from supraglottic squamous cell carcinoma. *Clin. Rec.*, 225
Toner, J. G. and Mains, B. T. Pneumatic otoscopy: Study of inter-observer variability. *Orig. Art.*, 1134
Toner, J. G., McKee, G. J., Smyth, G. D. L. and Kerr, A. G. Role and results of cortical mastoidectomy and endolymphatic sac surgery in Menière's disease. *Orig. Art.*, 1161
Tortoledo, M. E., del Junco, G. W., Luna, M. A. and Batsakis, J. G. Carcinomas ex monomorphic adenoma of salivary glands. *Orig. Art.*, 756
Tortoledo, M. E., El-Naggar, A., Batsakis, J. G., Luna, M. A. and Goepfert, H. D.N.A. content and proliferative activity of myoepitheliomas. *Orig. Art.*, 1192
Tos, M. and Lau, T. Tensa retraction cholesteatoma: treatment and long-term results. *Orig. Art.*, 149
Tos, M., Trojaborg, N. and Thomsen, J. The contralateral ear after translabyrinthine removal of acoustic neuromas. Is there a drill—noise generated loss? *Orig. Art.*, 845
Trojaborg, N., Thomsen, J. and Tos, M. The contralateral ear after translabyrinthine removal of acoustic neuromas. Is there a drill—noise generated loss? *Orig. Art.*, 845
Tsui, Y. N., Moffat, D. A., Baguley, D. M. and Hardy, D. G. Contralateral auditory brainstem response abnormalities in acoustic neuroma. *Orig. Art.*, 835
Tuffin, J. R. and Violaris, N. S. Can post-tonsillectomy pain be reduced by topical bupivacaine? double blind controlled trial. *Orig. Art.*, 592
Tumushime-Buturo, C. G. and Nkanza, N. K. Glial teratoma thought to be a lingual thyroid. *Clin. Rec.*, 620
Turnbull, L. W., Sellar, R. J., Murray, J. A. M. and Smith, I. M. CT Air meatography: Review of side effects in 60 patients. *Orig. Art.*, 173
Turner, R. and Sleeman, D. Spontaneous pneumomediastinum with alteration in voice. *Clin. Rec.*, 1222
Tveterås, K., Friedmann, I., Thomsen, P. and Kristensen, S. Nasopharyngeal Warthin's tumour: A metaplastic lesion. *Clin. Rec.*, 616

Uemura, T., Sugimoto, T., Nakashima, T. and Inamitsu, M. Immunopathology of polymorphic reticulosis of the larynx. *Clin. Rec.*, 955
Umeda, R., Furukawa, M., Miwa, T., Kamide, M. and Sakumoto, M. Three cases of inter-sterno-costo-clavicular ossification associated with tonsillar infection. *Clin. Rec.*, 783
Umeda, R., Nishimura, T., Takimoto, T., Kamide, M. and Ishikawa, S. Agenesis of the cervical internal carotid artery. *Clin. Rec.*, 707
Umeda, R., Takimoto, T. and Akemoto, Y. Pharyngeal cyst arising from second branchial cleft. *Clin. Rec.*, 964
Umeda, R., Takimoto, T., Okabe, Y. and Ito, M. Intravagal parathyroid adenoma. *Clin. Rec.*, 704
Uppal, K. and Bais, A. S. Tonsillar microflora—superficial surface *vs* deep. *Orig. Art.*, 175
Uppal, K., Logani, K. B. and Bais, A. S. Congenital cysts of the larynx. *Clin. Rec.*, 966
Urquhart, A. C., Fung, G. and McIntosh, W. A. Isolated sphenoiditis: A diagnostic problem. *Clin. Rec.*, 526
Urquiza, R., Bagger-Sjöbäck, D., Wersäll, J. and Takumida, M. Effect of gentamicin on the carbohydrates of the vestibular end organs: An investigation by the use of FITC-lectins. *Orig. Art.*, 357

Vakaet, L., Vande Maele, C., Van Cauwenberge, P. and Kluyskeris, P. Morphology of a columellaform stapes. *Clin. Rec.*, 79
Van Cauwenberge, P., Kluyskeris, P., Vakaet, L. and Vande Maele, C. Morphology of a columellaform stapes. *Clin. Rec.*, 79
Van Den Eeckhaut, J. and Frans, A. Cough as the sole manifestation of airway hyperreactivity. *Orig. Art.*, 680
Van Der Waal, I., Snow, G. B., Nauta, J., Karim, A. B. M. F., Tierie, A. H., Koka, V. N. and Tiwari, R. M. Adenoid cystic carcinoma of the salivary glands: Clinicopathological survey of 51 patients. *Orig. Art.*, 675
Vande Maele, C., Van Cauwenberge, P., Kluyskeris, P. and Vakaet, L. Morphology of a columellaform stapes. *Clin. Rec.*, 79
Vanlierde, M. J. R. R. Post-traumatic asymptomatic saccular aneurysm of the internal carotid artery. *Clin. Rec.*, 115
Variend, S., Bull, P. D. and Wright, R. G. Granular cell tumour of the larynx in childhood. *Clin. Rec.*, 880
Varley, E. W. B., Nigam, A. and Moffat, D. A. Benign paroxysmal positional vertigo resulting from surgical trauma. *Clin. Rec.*, 203
Veitch, D. and Blandshard, J. D. Ossifying lipoma. *Clin. Rec.*, 429
Veitch, D., Rogers, M. and Blanshard, J. Parapharyngeal mass presenting with sleep apnoea. *Clin. Rec.*, 961
Veitch, D. Y., Thomson, H. G. and Brockbank, M. J. Cerebrospinal fluid in the rhinitis clinic. *Orig. Art.*, 281
Viani, L. G. Tinnitus in children with hearing loss. *Orig. Art.*, 1142
Violaris, N. S. and Donovan, R. Obliteration of the middle ear cleft. *Orig. Art.*, 43
Violaris, N. S. and Tuffin, J. R. Can post-tonsillectomy pain be reduced by topical bupivacaine? double blind controlled trial. *Orig. Art.*, 592
Violaris, N. S. and Windle-Taylor, P. C. Idiopathic fibrosis of the upper aerodigestive tract. *Clin. Rec.*, 333
Violaris, N. S., Chang, S. and Bridger, M. W. Securing of section drains in head and neck surgery. *Short Comm.*, 869
Visonà, A., 'Fiore, D. L., Macchi, C., Ferlito, A., Pesavento, G., Recher, G. and Mingrino, S. Intracranial pneumocephalus (secondary to fronto-ethmoidal osteoma). *Rad. Focus*, 634
von Schoenberg, M. V., Lannigan, F. J. and Jones, N. S. An avoidable occupational hazard during mastoid surgery. *Orig. Art.*, 566

Wakabayashi, J., Satoh, M., Kodama, H., Takezawa, H., Suzuki, T., Kobayashi, K. and Kataura, A. Carcinoid tumour of the middle ear. *Clin. Rec.*, 86

Wake, M. and Glossop, P. Guillotine and dissection tonsillectomy compared. *Orig. Art.*, 588
Walsh, M. A. and Timon, C. I. Sudden sensorineural hearing loss as a presentation of HIV infection. *Clin. Rec.*, 1071
Walsh, M. A., O'Dwyer, T. P. and Timon, C. Surgical management of drooling in the neurologically damaged child. *Orig. Art.*, 750
Walsh, M., McShane, D., El Sherif, I., Doyle-Kelly, W. and Fennell, G. Dermoids ('hairy polyps') of the oro-nasopharynx. *Clin. Rec.*, 612
Walsh, M., Timon, C. I., McShane, D. and McGovern, E. Treatment of combined and critically low tracheal stenoses secondary to burn inhalation injury. *Clin. Rec.*, 1083
Walsted, A., Thomsen, J. and Nielsen, P. L. Two malignant melanomas in skin and tonsil during consecutive pregnancies. *Clin. Rec.*, 780
Ward, D., Rabie, I. and McShane, D. Bacterial tracheitis. *Orig. Art.*, 1059
Watkin, P. M. Otological disease in Turner's syndrome. *Orig. Art.*, 731
Watson, M. G., Proops, D. W., Smallman, L. A. and Stores, O. P. R. Cryptococcosis of the larynx. *Clin. Rec.*, 214
Welsby, P. D., Kelleher, R. J. and Murray, J. A. M. Recurrent meningitis associated with meningioma of the mastoid cavity. *Clin. Rec.*, 99
Wersäll, J., Bagger-Sjöbäck, D., Harada, Y. and Takumida, M. Observation of the glycocalyx of the organ of Corti: An investigation by electron microscopy in the normal and gentamicin-treated guinea pig. *Orig. Art.*, 133
Wersäll, J., Takumida, M., Fredelius, L., Bagger-Sjöbäck, D. and Harada, Y. Effect of acoustic overstimulation on the glycocalyx and the ciliary interconnections in the organ of Corti: High resolution scanning electron microscopic investigation. *Orig. Art.*, 1125
Wersäll, J., Takumida, M., Urquiza, R. and Bagger-Sjöbäck, D. Effect of gentamicin on the carbohydrates of the vestibular end organs: An investigation by the use of FITC-lectins. *Orig. Art.*, 357
Westerbeek, G. F., Yap, S. H., Manni, J. J. and Schaafsma, H. E. Rare case of obscure haemorrhage in the upper aero-digestive tract (epiglottis). *Clin. Rec.*, 331
West, P. D. B., Gholkar, A. and Ramsden, R. T. Wildervanck's syndrome—unilateral Mondini dysplasia identified by computed tomography. *Clin. Rec.*, 408
Wetteland, P., Hovig, T., Brandtzaeg, P. and Boysen, M. Neuroendocrine carcinoma of the lip (Merkel cell tumour) examined by electron microscopy and immunohistochemistry. *Clin. Rec.*, 519
Whitehead, E. and Hussain, S. S. M. Malignant melanoma of the larynx. *Clin. Rec.*, 533
Whittet, H. B. and Golding-Wood, D. G. The lingual tonsil. A neglected symptomatic structure? *Orig. Art.*, 922
Whittet, H. B., Croft, C. B. and Fisher, E. W. Symptomatic mucosal cysts of the maxillary sinus: antroscopic treatment. *Orig. Art.*, 1184
Wickham, M. J., Smelt, G. J. C., MacDonald, A. and Woodhead, C. J. Some observations on submucous diathermy. *Orig. Art.*, 1047
Willatt, D. J., Durham, L. M. and Jones, A. S. Nasal airflow: resistance and sensation. *Orig. Art.*, 909
Wilson, A. and Davidson, N. G. P. Tongue metastasis from carcinoma of the rectum. *Clin. Rec.*, 322
Wilson, J. A., Maran, A. G. D. and Amin, M. Radical neck dissection: A 19 year experience. *Orig. Art.*, 760
Windle-Taylor, P. C. and Violaris, N. S. Idiopathic fibrosis of the upper aerodigestive tract. *Clin. Rec.*, 333
Woodhead, C. J., Wickham, M. J., Smelt, G. J. C. and MacDonald, A. Some observations on submucous diathermy. *Orig. Art.*, 1047
Wright, R. G., Variend, S. and Bull, P. D. Granular cell tumour of the larynx in childhood. *Clin. Rec.*, 880

Yanagita, N., Asami, K., Yokoi, H., Hattori, T. and Rao, A. J. Metastatic gallbladder carcinoma of the palatine tonsil. *Clin. Rec.*, 211
Yap, S. H., Manni, J. J., Schaafsma, H. E. and Westerbeek, G. F. Rare case of obscure haemorrhage in the upper aero-digestive tract (epiglottis). *Clin. Rec.*, 331
Yokoi, H., Hattori, T., Rao, A. J., Yanagita, N. and Asami, K. Metastatic gallbladder carcinoma of the palatine tonsil. *Clin. Rec.*, 211
Yue, W. L. Nasal mucociliary clearance in patients with diabetes mellitus. *Orig. Art.*, 853

Zaidi, S. H. Anthropological study of the mastoid air cell system in Pakistani races. *Orig. Art.*, 819
Žargi, M., Gale, N. and Kambič, V. Laryngeal chondrosarcoma: is conservative surgery adequate treatment? *Clin. Rec.*, 970
Zohar, Y., Djaldetti, M., Cohen, A. M., Talmi, Y. P., Floru, S. and Bar-Ziv, J. Ossification of the auricle in Addison's disease. *Rad. Focus*, 885
Zohar, Y., Finkelstein, Y., Talmi, Y. P., Rubel, Y. and Bar-Ziv, J. Otitis media with effusion as a presenting symptom of chronic sinusitis. *Orig. Art.*, 827
Zohar, Y., Talmi, Y. P., Finkelstein, Y. and Shem-Tov, Y. Use of a Braunula for maxillary sinus irrigation. *Orig. Art.*, 279
Zuk, R. and O'Reilly, B. J. Transitional-type papilloma of the nasopharynx. *Clin. Rec.*, 528

GENERAL

Aberrant intratympanic internal carotid artery: a potentially hazardous anomaly—M. Jacobsson, A. Davidsson, S. Hugosson, A. Tjellström and P. Svendsen. *Clin. Rec.*, 1202
Aberrant reinervation of the stapedius muscle following facial palsy—D. J. McFerran, D. Baguley and D. A. Moffat. *Clin. Rec.*, 205
Acinous cell carcinoma of the larynx—S. Kallis and D. J. Stevens. *Path. Focus.*, 638
Acute and latent mastoiditis—H. Faye Lund. *Orig. Art.*, 1158
Adenocarcinoma of the ethmoid sinuses in High Wycombe, 1986—J. W. R. Capper and D. J. Radstone. *Orig. Art.*, 1050
Adenoid cystic carcinoma of the salivary glands: Clinicopathological survey of 51 patients—V. N. Koka, R. M. Tiwari, I. Van Der Waal, G. B. Snow, J. Nauta, A. B. M. F. Karim and A. H. Tierie. *Orig. Art.*, 675
Adenosquamous carcinoma of the thyroid gland—A. R. Nicolaides, P. Rhys Evans and C. Fisher. *Clin. Rec.*, 978
Agenesis of the cervical internal carotid artery—T. Nishimura, T. Takimoto, M. Kamide, S. Ishikawa and R. Umeda. *Clin. Rec.*, 707
AIDS to the post nasal space—G. A. J. Morrison, P. Butler and J. B. Booth. *Rad. Focus*, 1091
Air in the neck—P. D. Phelps and J. M. Stansbie. *Rad. Focus*, 337
Airgun pellet injuries of the neck—J. A. Cook and R. S. Dawkins. *Clin. Rec.*, 432
Allergic aspergillus sinusitis—An overlooked diagnosis?—D. Jonathan, V. Lund and C. Milroy. *Orig. Art.*, 1181
Alveolar soft part sarcoma of the tongue—F. Cetik, C. Ozsahinoglu, F. Kivanc and E. Secinti. *Clin. Rec.*, 952
Aneurysm of the anterior inferior cerebellar artery mimicking an intracanalicular acoustic neuroma—M. J. Gleeson, T. C. S. Cox and A. J. Strong. *Clin. Rec.*, 107
Angiosarcoma of the nasal cavity and maxillary antrum—M. Kurien, S. Nair and S. Thomas. *Clin. Rec.*, 874
Anterior neck lipoma masquerading as an external laryngocoele—R. Ramakantan and P. Shah. *Clin. Rec.*, 1087
Anthropological study of the mastoid air cell system in Pakistani races—S. H. Zaidi. *Orig. Art.*, 819
Antroscopic study of the maxillary antrum in lepromatous leprosy—N. K. Soni. *Orig. Art.*, 502
Antroscopy: Current practice—A survey of U.K. otolaryngologists—E. W. Fisher and C. B. Croft. *Orig. Art.*, 747
Antroscopy in maxillary sinus disease associated with nasal polyposis—J. G. Gilbert. *Orig. Art.*, 861
Associated carotid body tumour and pharyngeal pouch—D. A. Nunez, W. Lang and J. G. Pollock. *Clin. Rec.*, 531
Asthma therapy and a tracheostomy—C. O'Callaghan, S. Dryden, D. N. Cert and K. Gibbin. *Clin. Rec.*, 427
Attitudes to tympanometry—P. J. Stoney and J. H. Rogers. *Orig. Art.*, 657
Atypical thyroglossal duct cyst—V. L. Cumberworth and P. J. Bradley. *Clin. Rec.*, 700

Auditory and vestibular findings in Waardenburg's Type II syndrome—M. Hildesheimer, Z. Maayan, C. Muchnik, M. Rubinstein and R. M. Goodman. *Orig. Art.*, 1130
Aural Schistosomiasis mansoni—P. L. Bhatia. *Clin. Rec.*, 596
Avoidable occupational hazard during mastoid surgery, An—F. J. Lannigan, N. S. Jones and M. V. von Schoenberg. *Orig. Art.*, 566

Bacterial tracheitis—I. Rabie, D. McShane and D. Ward. *Orig. Art.*, 1059
Bacteriology of chronic otitis media with effusion—C. Diamond, P. R. Sisson, A. M. Kearns and H. R. Ingham. *Orig. Art.*, 369
Bacteriology of otitis media with effusion—K. B. Sriwardhana, A. J. Howard and K. T. Dunkin. *Orig. Art.*, 253
Benign paroxysmal positional vertigo resulting from surgical trauma—A. Nigam, D. A. Moffat and E. W. B. Varley. *Clin. Rec.*, 203
Bifid uvula: Prevalence and association in otitis media with effusion in children admitted for routine otolaryngological operations—R. P. Rivron. *Orig. Art.*, 249
Bilateral carotid body tumours—A. C. Robinson and C. M. Lukaszewicz. *Rad. Focus*, 543
Bilateral facial nerve palsy following secretory otitis media—D. J. Premachandra and G. Radcliffe. *Clin. Rec.*, 685
Birmingham and Midland Ear, Nose and Throat Hospital: An obituary, The—A. Nigam, J. B. Campbell and D. J. Brain. *Orig. Art.*, 815
Bone pâté repair of the eroded incus—N. B. Solomons and J. M. Robinson. *Orig. Art.*, 41
Breast metastasis from a pharyngeal carcinoma—D. A. Nunez, C. G. G. Sutherland and R. K. Sood. *Clin. Rec.*, 227

Calcium alginate fibre (Kaltostat®) for nasal packing after trimming of turbinates. A pilot study—K. S. Sirimana. *Short Comm.*, 1067

Can post-tonsillectomy pain be reduced by topical bupivacaine? double blind controlled trial—N. S. Violaris and J. R. Tuffin. *Orig. Art.*, 592
Carbohydrate content of the endolymphatic sac: A histochemical and lectin-labelling study in the mongolian gerbil—M. Barbara. *Orig. Art.*, 137
Carcinoid tumour of the middle ear—H. Kodama, H. Takezawa, T. Suzuki, K. Kobayashi, A. Kataura, J. Wakabayashi and M. Satoh. *Clin. Rec.*, 86
Carcinoma arising in a pleomorphic adenoma of the epiglottis—C. A. Milford, T. A. Mugliston, P. O'Flynn and K. McCarthy. *Clin. Rec.*, 324
Carcinoma of the ear: Retrospective analysis of 61 patients—D. G. Golding-Wood, R. E. Quiney and A. D. Cheesman. *Orig. Art.*, 653
Carcinoma of the laryngeal saccule: A biopsy technique to make a difficult diagnosis—S. Habashi, A. F. Padel and J. W. R. Capper. *Clin. Rec.*, 692
Carcinoma of the pharyngeal pouch—D. J. Stevens. *Clin. Rec.*, 695
Carcinomas ex monomorphic adenoma of salivary glands—M. A. Luna, J. G. Batsakis, M. E. Tortoledo and G. W. del Junco. *Orig. Art.*, 756
Case of jaw locking, A—M. S. C. Morrissey and T. Alun-Jones. *Clin. Rec.*, 419
Cephalometric analysis in patients with obstructive sleep apnoea syndrome. I. Skeletal morphology—T. Lyberg, O. Krogstad and G. Djupesland. *Orig. Art.*, 287
Cephalometric analysis in patients with obstructive sleep apnoea syndrome. II. Soft tissue morphology—T. Lyberg, O. Krogstad and G. Djupesland. *Orig. Art.*, 293
Cerebrospinal fluid in the rhinitis clinic—M. J. Brockbank, D. Y. Veitch and H. G. Thomson. *Orig. Art.*, 281
Cervical Echinococcal hydatid cyst—M. Fradis, L. Podoshin, Y. Goldstein, I. Miselvich and J. H. Boss. *Clin. Rec.*, 435
Changing incidence of sinus infection in children—L. C. Knight and T. H. J. Lesser. *Orig. Art.*, 659
Cholesteatoma of the external auditory canal in hemifacial hypertrophy (hyperplasia)—A. K. Gadre and K. C. Gadre. *Clin. Rec.*, 74
Cholesterol granuloma of the paranasal sinuses—S. Butler and R. Grossenbacher. *Clin. Rec.*, 776
Chronic aspiration and laryngeal competence—K. Bevan and M. V. Griffiths. *Orig. Art.*, 196
Clear cell carcinoma in pleomorphic adenoma of the minor salivary gland—J. Klijanienko, C. Micheau, G. Schwaab, P. Marandas and S. Friedman. *Clin. Rec.*, 789
Clinical role of informed tests of hearing—G. G. Browning, I. R. C. Swan and K. K. Chew. *Orig. Art.*, 7
Clofazimin in the treatment of scleroma—M. A. Shehata and A. W. Salama. *Orig. Art.*, 856
Co-existent inverted papilloma and squamous carcinoma of the nasal septum—D. W. Sim. *Clin. Rec.*, 774
Coin as a tracheal foreign body for 30 years, A—C-Y. Su. *Clin. Rec.*, 798
Combined treatment of large head and neck capillaro-venous malformation by a fibrosing agent—M. Fradis, L. Podoshin, J. Simon, N. Lazarov, I. Shagrawi and J. H. Boss. *Orig. Art.*, 390
Complications in head and neck surgery and how to avoid trouble—P. H. Rhys Evans. *Orig. Art.*, 926
Complications of mediastinoscopy—H. J. Puhakka. *Orig. Art.*, 312
Congenital cholesteatoma presenting as a post-auricular mass—P. G. Reilly. *Clin. Rec.*, 1069
Congenital cysts of the larynx—A. S. Bais, K. Uppal and K. B. Logani. *Clin. Rec.*, 966
Congenital subglottic fibromatosis—J. E. O'Connell, F. Raafat and D. Proops. *Path Focus*, 983
Contralateral auditory brainstem response abnormalities in acoustic neuroma—D. A. Moffat, D. M. Baguley, D. G. Hardy and Y. N. Tsui. *Orig. Art.*, 835
Contralateral ear after translabyrinthine removal of acoustic neuromas. Is there a drill—noise generated loss? The—M. Tos, N. Trojaborg and J. Thomsen. *Orig. Art.*, 845
Cough as the sole manifestation of airway hyperreactivity—A. Frans and J. Van Den Eeckhaut. *Orig. Art.*, 680
Cricothyroid muscle paralysis: its recognition and diagnosis—K. Bevan, M. V. Griffiths and M. H. Morgan. *Orig. Art.*, 191
Cryosurgical treatment of endolymphatic hydrops—M. Horowitz, L. M. Flood and S. Hampal. *Orig. Art.*, 481
Cryptococcosis of the larynx—L. A. Smallman, O. P. R. Stores, M. G. Watson and D. W. Proops. *Clin. Rec.*, 214
CSF otorrhoea secondary to a tegmen defect—A. K. Robson, A. J. Jones and R. W. T. Slack. *Rad. Focus*, 980
CT Air meatography: Review of side effects in 60 patients—I. M. Smith, L. W. Turnbull, R. J. Sellar and J. A. M. Murray. *Orig. Art.*, 173
Culture of Rhinosporidium seeberi: Preliminary report—S. Krishnamoorthy, V. P. Sreedharan, P. Koshy, S. Kumar and C. K. Anilakumari. *Orig. Art.*, 178
Cystic hygroma presenting in adulthood—S. Baer and J. Davis. *Clin. Rec.*, 976
Cysticercosis of the tongue—R. K. Jain, O. P. Gupta and N. C. Aryya. *Path Focus*, 1227

Dermoids ('hairy polyps') of the oro-nasopharynx—D. McShane, I. El Sherif, W. Doyle-Kelly, G. Fennell and M. Walsh. *Clin. Rec.*, 612
Diagnosis of frontal sinusitis—J. Suonpää and M. Revonta. *Short Comm.*, 765
Diagnostic imaging of the nose and paranasal sinuses—G. A. S. Lloyd. *Orig. Art.*, 453
Diagnostic vetting of individuals with asymmetric sensorineural hearing impairments—I. R. C. Swan. *Orig. Art.*, 823
Does severe water deprivation affect the inner ear?—M. Barbara, D. Bagger-Sjöback, H. Rask-Anderson and R. Filipo. *Orig. Art.*, 22
D.N.A. content and proliferative activity of myoepitheliomas—A. El-Naggar, J. G. Batsakis, M. A. Luna, H. Goepfert and M. E. Tortoledo. *Orig. Art.*, 1192

Early ossification within the human fetal otic capsule: morphological and microanalytical findings—F. Declau, W. Jacob, W. Dorrine, B. Appel and J. Marquet. *Orig. Art.*, 1113

Effect of acoustic overstimulation on the glycocalyx and the ciliary interconnections in the organ of Corti: High resolution scanning electron microscopic investigation—M. Takumida, L. Fredelius, D. Bagger-Sjöbäck, Y. Harada and J. Wersäll. *Orig. Art.*, 1125
Effect of gentamicin on the carbohydrates of the vestibular end organs: An investigation by the use of FITC-lectins—M. Takumida, R. Urquiza, D. Bagger-Sjöbäck and J. Wersäll. *Orig. Art.*, 357
Effect of respiration on nasopharyngeal radiographs when assessing adenoidal enlargement—P. D. Britton. *Orig. Art.*, 71
Effect of weather conditions on acute laryngotracheitis—C. P. Fielder. *Orig. Art.*, 187
Effects of amiloride on the endolymphatic sac—M. Takumida and D. Bagger-Sjöback. *Orig. Art.*, 466
Endoscopic transnasal dacryocystorhinostomy—M. McDonagh and J. H. Meiring. *Orig. Art.*, 585
Endoscopic transnasal surgery in chronic maxillary sinusitis—R. H. Kamel. *Orig. Art.*, 492
Ethmoidal mucocoeles in children—C. I. Timon and T. P. O'Dwyer. *Orig. Art.*, 284
Evaluation for waterproof ear protectors in swimmers—A. C. Robinson. *Orig. Art.*, 1154
Evaluation of myringoplasty in war injured people, An—H. T. Makki. *Short Comm.*, 945
Evaluation of recent experience in hypoglossal-facial nerve anastomosis in the treatment of facial palsy—M. I. Clayton, R. P. Rinon, D. R. Hanson and J. D. Fenwick. *Orig. Art.*, 63
External rhinoplasty in the tropics—B. Nasar, N. Hiranandani and D. S. Grewal. *Short Comm.*, 1198
Eyelid necrosis complicating acute maxillary sinusitis—J. Hill and T. Alun-Jones. *Clin. Rec.*, 413
E.N.T. consultation: A prospective study of the doctor's and the patient's perceptions, The—D. W. Sim. *Orig. Art.*, 363

Facial nerve recovery after acoustic neuroma tumour removal—D. A. Moffat, G. R. Croxson, D. M. Baguley and D. G. Hardy. *Orig. Art.*, 169
Facial schwannoma without facial paralysis—J. F. Sharp, A. I. G. Kerr, P. Carder and R. J. Sellar. *Clin. Rec.*, 973
Factitious illness and the ENT surgeon—M. R. Thomas. *Clin. Rec.*, 882
Fibromatosis of the larynx in the adult—G. De Rosa, E. Barra, A. Boscaino, R. Gentile and B. Di Prisco. *Clin. Rec.*, 1219
Fibrosarcoma of the ethmoid—M. C. F. Smith and J. V. Soames. *Clin. Rec.*, 686
Fibrous histiocytoma of the larynx—M. B. Jordan and J. V. Soames. *Clin. Rec.*, 216
Flexible oesophagogastroscopy in otolaryngology—H. G. Thomson and A. J. G. Batch. *Orig. Art.*, 399
Fractured tracheostomy tube in the tracheobronchial tree—C. C. Ming and S. A. Ghani. *Clin. Rec.*, 335

Genetic counselling for isolated hearing loss—V. E. Newton. *Orig. Art.*, 12
Glial teratoma thought to be a lingual thyroid—C. G. Tumushime-Buturo and N. K. Nkanza. *Clin. Rec.*, 620
Granular cell myoblastoma of the supraglottis—P. J. Robb and A. Girling. *Clin. Rec.*, 328
Granular cell tumour of the larynx in childhood—R. G. Wright, S. Variend and P. D. Bull. *Clin. Rec.*, 880
Guillotine and dissection tonsillectomy compared—M. Wake and P. Glossop. *Orig. Art.*, 588

Haemangiopericytoma of the larynx—P. J. Bradley, A. Narula, L. Harvey, I. Holland, D. A. Morgan and K. MacLennan. *Path. Focus*, 234
Haemorrhage during minitracheotomy: Reduction of risk by altered incision—R. M. Terry and P. Cook. *Clin. Rec.*, 207
Has the increasing use of grommets influenced the frequency of surgery for cholesteatoma?—N. Padgam, R. Mills and H. Christmas. *Orig. Art.*, 1034
Head and neck surgery in the elderly—a maturing problem—M. Harries and V. J. Lund. *Orig. Art.*, 306
Hearing aids—a case for review—M. L. L. Harries, D. M. Baguley and D. A. Moffat. *Orig. Art.*, 850
Hearing threshold in patients with diabetes mellitus—M. Kurien, K. Thomas and T. S. Bhanu. *Orig. Art.*, 164
Histogenesis of salivary gland neoplasms: a postulate with prognostic implications—J. G. Batsakis, J. A. Regezi, M. A. Luna and A. El-Naggar. *Orig. Art.*, 939
Histopathology of the soft parts in 50 patients with malignant otitis externa—J. Bernheim and J. Sadé *Orig. Art.*, 366
Hypopharyngeal involvement by thyroid cancer—C. I. Timon, E. Leen and W. Doyle-Kelly. *Clin. Rec.*, 629

Idiopathic fibrosis of the upper aerodigestive tract—N. S. Violaris and P. C. Windle-Taylor. *Clin. Rec.*, 333
Immunocytochemical identification of HIV (p24) antigen in parotid lymphoid lesions—J. M. Bruner, K. R. Cleary, F. B. Smith and J. G. Batsakis. *Orig. Art.*, 1063
Immunopathology of polymorphic reticulosis of the larynx—T. Nakashima, M. Inamitsu, T. Uemura and T. Sugimoto. *Clin. Rec.*, 955
Incidence of abnormality in routine vocal cord checks—J. W. A. Curley and M. S. Timms. *Orig. Art.*, 1057
Infective complications of brief nasotracheal intubation—M. A. Hariri and P. W. Duncan. *Clin. Rec.*, 1217
Influence of the mode of preparation on the distortion and consistency of homologous costal cartilage implants—P. Adlington, A. J. Anscombe and J. B. Joshi. *Orig. Art.*, 572
Intracranial pneumocephalus (secondary to fronto-ethmoidal osteoma)—A. Ferlito, G. Pesavento, G. Recher, S. Mingrino, A. Visonà, D. L.' Fiore and C. Macchi. *Rad. Focus*, 634
Intrahyoid thyroglossal cyst—L. Podoshin, M. Fradis, J. Goldstein, I. Misselevitch and J. H. Boss. *Clin. Rec.*, 539
Intravagal parathyroid adenoma—T. Takimoto, Y. Okabe, M. Ito and R. Umeda. *Clin. Rec.*, 704
Invasive pituitary adenoma presenting with nasal obstruction—J. A. Dent and P. K. Rickhuss. *Clin. Rec.*, 605
Isolated sphenoiditis: A diagnostic problem—A. C. Urquhart, G. Fung and W. A. McIntosh. *Clin. Rec.*, 526

Kaposi's sarcoma of the head and neck in patients with AIDS—N. D. Stafford, R. C. D. Herdman, S. Forster and A. J. Munro. *Orig. Art.*, 379
Klippel-Feil syndrome and conductive deafness—E. J. Stewart and B. F. O'Reilly. *Clin. Rec.*, 947

Langerhan's cell histiocytosis in the sphenoid sinus: A case of diabetes insipidus—S. S. M. Hussain, R. D. Simpson, D. McCormick and C. I. Johnstone. *Clin. Rec.*, 877
Laryngeal chondrosarcoma: is conservative surgery adequate treatment?—V. Kambič, M. Žargi and N. Gale. *Clin. Rec.*, 970
Laryngeal tuberculosis in the eighties—an Indian experience—V. Rupa and T. S. Bhanu. *Orig. Art.*, 864
Laryngotracheal resection for post scleromatous laryngeal stenosis—M. Rifai. *Orig. Art.*, 935
Late onset Cogan's syndrome—H. Fidler and N. S. Jones. *Clin. Rec.*, 512
Lingual abscess: the value of ultrasound in diagnosis—J. Y. Osammor, J. R. Cherry and M. Dalziel. *Clin. Rec.*, 950
Lingual tonsil. A neglected symptomatic structure?, The—D. G. Golding-Wood and H. B. Whittet. *Orig. Art.*, 922
Liposarcoma in the pharynx—F. Nofal and M. Thomas. *Clin. Rec.*, 1080
Localized middle ear effusions: Three unusual acute cases in adults—D. A. Parker, A. P. Reid and P. J. Patel. *Clin. Rec.*, 83
Long term pathological sequelae of neonatal endotracheal intubation—S. J. Gould and J. Graham. *Clin. Rec.*, 622

Malignant fibrous histiocytoma of larynx—N. K. Majumder, H. S. Sharma and V. Srinivasan. *Clin. Rec.*, 219
Malignant fibrous histiocytoma of the nasopharynx—B. J. O'Reilly, J. Ryan, J. Reynard and E. Chevretton:. *Clin. Rec.*, 1076

Malignant melanoma of the larynx—S. S. M. Hussain and E. Whitehead. *Clin. Rec.*, 533
Malignant melanoma of the nasal cavity—J. J. Going and D. M. Kean. *Path. Focus*, 231
Management of achalasia and laryngo-tracheal compression—G. D. Barr and I. MacDonald. *Clin. Rec.*, 713
Management of the inflammatory aural polyp—S. Rhys Williams, P. J. Robinson and A. P. Brightwell. *Orig. Art.*, 1040
Manipulation of the fractured nose using topical local anaesthesia—A. El-Kholy. *Orig. Art.*, 580
Mastoid ache in acoustic neuroma—D. A. Moffat, D. Baguley, R. A. Evans and D. G. Hardy. *Orig. Art.*, 1043
Maxillary antral lavage—infiltration and surface anaesthesia compared—K. O. Paulose, S. Al Khalifa, P. Shenoy and R. K. Sharma. *Orig. Art.*, 582
Metastasis to the temporal bone, secondary to carcinoma of the bladder—C. B. R. Saldanha, J. D. C. Bennett, J. N. G. Evans and H. Pambakian. *Clin. Rec.*, 599
Metastatic bone marrow involvement from supraglottic squamous cell carcinoma—G. C. Toner, R. L. Thomas and M. A. Schwarz. *Clin. Rec.*, 225
Metastatic gallbladder carcinoma of the palatine tonsil—K. Asami, H. Yokoi, T. Hattori, A. J. Rao and N. Yanagita. *Clin. Rec.*, 211
Metastatic melanoma of the tonsil—A. Nicolaides, C. Fisher and P. H. Rhys-Evans. *Path. Focus.*, 890
Metastatic renal carcinoma to the parotid gland—M. U. Günbay, K. Ceryan and A. A. Küpelioğlu. *Clin. Rec.*, 417
Metastatic squamous cell carcinoma of the paranasal sinuses from a primary squamous cell carcinoma of the urinary bladder—N. Kawai, K. Asakura, S. Sambe, A. Kataura and K. Enomoto. *Clin. Rec.*, 602
Middle ear neoplasms showing adenomatous and neuroendocrine components—J. E. Davies, D. Semeraro, L. C. Knight and G. J. Griffiths. *Clin. Rec.*, 404
Modified incision for the trans-septal trans-sphenoidal approach to the pituitary, A—M. E. Baraka. *Orig. Art.*, 670
Morphology of a columellaform stapes—C. Vande Maele, P. Van Cauwenberge, P. Kluyskeris and L. Vakaet. *Clin. Rec.*, 79
Mucoepidermoid carcinoma of the larynx—V. L. Cumberworth, A. Narula, K. A. MacLennan and P. J. Bradley. *Clin. Rec.*, 420
Multiple synchronous carcinoma of the aero-digestive tract—A. McCombe, V. J. Lund and D. J. Howard. *Clin. Rec.*, 794
Mycotic aneurysm of the petrous portion of the internal carotid artery—J. Samuel and C. M. C. Fernandes. *Clin. Rec.*, 111
Myotic infection of the ear (otomycosis)—K. O. Paulose, S. Al Khalifa, P. Shenoy and R. K. Sharma. *Orig. Art.*, 30
Myxoid tumours in the temporal bone—S. Charabi, P. Engel and P. Bonding. *Clin. Rec.*, 1206

Nasal airflow: resistance and sensation—A. S. Jones, D. J. Willatt and L. M. Durham. *Orig. Art.*, 909
Nasal decongestant effect of Oxymetazolone in the common cold: An objective dose-response study in 106 patients—A. =kerlund, T. Klint, L. Olsen and H. Rundcrantz. *Orig. Art.*, 743
Nasal endoscopy in chronic maxillary sinusitis—R. H. Kamel. *Orig. Art.*, 275
Nasal mucociliary clearance in patients with diabetes mellitus—W. L. Yue. *Orig. Art.*, 853
Nasal myiasis: Review of 10 years' experience—H. Sharma, D. Dayal and S. P. Agarwal. *Orig. Art.*, 489
Nasal polyps and sinusitis in children with cystic fibrosis—A. B. Drake-Lee and D. W. Morgan. *Orig. Art.*, 753
Nasopharyngeal bacterial flora before and after adenoidectomy—A. M. Talaat, Y. S. Bahgat, E. El-Ghazzawy and S. Elwany. *Orig. Art.*, 372
Nasopharyngeal Warthin's tumour: A metaplastic lesion—S. Kristensen, K. Tveterås, I. Friedmann and P. Thomsen. *Clin. Rec.*, 616
Nature of spontaneous tympanic membrane perforation in acute otitis media in children—G. Berger. *Orig. Art.*, 1150
Neuroendocrine carcinoma of the lip (Merkel cell tumour) examined by electron microscopy and immunohistochemistry—M. Boysen, P. Wetteland, T. Hovig and P. Brandtzaeg. *Clin. Rec.*, 519
New look at the carotid bodies, A—D. Heath. *Path. Focus.*, 803
Noise levels and exposure patterns to Do-It-Yourself power tools—L. G. McClymont and D. C. Simpson. *Orig. Art.*, 1140
Non-traumatic intracavernous carotid aneurysm presenting with epistaxis—M. J. Chandy and V. Rajshekar. *Clin. Rec.*, 425
Normal growth pattern of the middle ear cleft in the human fetus—F. Declau, L. Moeneclaey and J. Marquet. *Orig. Art.*, 461
Norris Wolfenden—A footnote—J. B. Booth. *Orig. Art.*, 1014
Norris Wolfenden and X-rays—R. F. Mould. *Orig. Art.*, 1020

Objective tinnitus and tympanic membrane displacement—J. J. Phillips, A. Reid, R. J. Marchbanks and R. F. Jarrar. *Clin. Rec.*, 872
Obliteration of the middle ear cleft—N. S. Violaris and R. Donovan. *Orig. Art.*, 43
Observation of the glycocalyx of the organ of Corti: An investigation by electron microscopy in the normal and gentamicin-treated guinea pig—M. Takumida, J. Wersäll, D. Bagger-Sjöbäck and Y. Harada. *Orig. Art.*, 133
Occasional stapes surgery—A Norwegian experience—I. W. S. Mair. *Orig. Art.*, 259
Ophthalmic considerations in fronto-ethmoidal mucocoeles—V. J. Lund and M. E. Rolfe. *Orig. Art.*, 667
Organogenesis of the middle ear structures—B. Ars. *Orig. Art.*, 16
Ossification of the auricle in Addison's disease—A. M. Cohen, Y. P. Talmi, S. Floru, J. Bar-Ziv, Y. Zohar and M. Djaldetti. *Rad. Focus*, 885
Ossifying lipoma—J. D. Blandshard and D. Veitch. *Clin. Rec.*, 429
Osteoma of the ear canal presenting with headache—P. Shenoy, K. O. Paulose, S. A. Khalifa and R. Sharma. *Clin. Rec.*, 683
Otitis media with effusion as a presenting symptom of chronic sinusitis—Y. Finkelstein, Y. P. Talmi, Y. Rubel, J. Bar-Ziv and Y. Zohar. *Orig. Art.*, 827
Otological disease in Turner's syndrome—P. M. Watkin. *Orig. Art.*, 731
Ototoxicity of ear drops in patients suffering from chronic otitis media—L. Podoshin, M. Fradis and J. Ben David. *Orig. Art.*, 46
Out-patient examination of the upper airway: A survey of current practice in the U.K.—C. Albizzati and R. Mills. *Orig. Art.*, 272

Paediatric laryngeal tuberculosis presenting with stridor—V. Rupa, J. Mathew, T. S. Bhanu and A. Date. *Clin. Rec.*, 787
Parapharyngeal mass presenting with sleep apnoea—D. Veitch, M. Rogers and J. Blanshard. *Clin. Rec.*, 961
Patulous Eustachian tube syndrome: The relationship with sensorineural hearing loss. Treatment by Eustachian tube diathermy—P. J. Robinson and J. W. P. Hazell. *Orig. Art.*, 739
Pedunculated squamous papilloma of the laryngopharynx—S. Desai and K. Rajaratnam. *Clin. Rec.*, 209
Perforated telescoping double catheter for uncontaminated endobronchial sampling—a new technique—A. Banerjee, K. S. V. K. Subba Rao and M. Nachiappan. *Orig. Art.*, 310
Persisting nystagmus following vestibular nerve section for Menière's disease—J. C. Shotton, H. Ludman and R. Davies. *Orig. Art.*, 263
Pharyngeal cyst arising from second branchial cleft—T. Takimoto, Y. Akemoto and R. Umeda. *Clin. Rec.*, 964
Pharyngeal paralysis due to botulinum toxin injection—C. E. Koay and T. Alun-Jones. *Clin. Rec.*, 698
Pilonidal sinus of the nose—K. O. Paulose, S. Al Khalifa, S. S. Raj and T. Saeed. *Clin. Rec.*, 1210
Pneumatic otoscopy: Study of inter-observer variability—B. T. Mains and J. G. Toner. *Orig. Art.*, 1134
Post-traumatic asymptomatic saccular aneurysm of the internal carotid artery—M. J. R. R. Vanlierde. *Clin. Rec.*, 115
Presence of *Branhamella catarrhalis* alters the survival of *Streptococcus pneumoniae* and *Haemophilus influenzae* in middle ear effusion: An *in vitro* study—L-E. Stenfors and S. Raisanen. *Orig. Art.*, 1030
Prevention of post-operative intra-nasal adhesions (a new material)—P. N. Eliopoulos and C. Philippakis. *Orig. Art.*, 664
Primary cholesteatoma of the mastoid presenting as cervical abscess—A. A. El-Kholy and J. R. Cherry. *Clin. Rec.*, 92

Primary chondroid chordoma of the base of the petrous temporal bone—V. Rupa, V. Rajshekhar, T. S. Bhanu and S. M. Chandi. *Clin. Rec.*, 771
Primary composite squamous cell carcinoma and large cell neuroendocrine carcinoma of the hypopharynx—C. M. Milroy, P. J. Robinson and H. R. Grant. *Path. Focus*, 1093
Primary intracranial mesenchymal chondrosarcoma—S. Shuangshoti and V. Kasantikul. *Path. Focus.*, 545
Primary malignant melanoma of the oral cavity—V. Calabrese, M. Cifola, R. Pareschi, A. Parma and A. Sonzogni. *Path. Focus.*, 887
Psychogenic stridor—D. W. Skinner and P. J. Bradley. *Orig. Art.*, 383
Pulsatile tinnitus and dural arteriovenous malformation—G. A. J. Morrison. *Clin. Rec.*, 1073

Radical neck dissection: A 19 year experience—A. G. D. Maran, M. Amin and J. A. Wilson. *Orig. Art.*, 760
Radio-opacity of fishbones—S. R. Ell. *Rad. Focus*, 1224
Rare case of obscure haemorrhage in the upper aero-digestive tract (epiglottis)—J. J. Manni, H. E. Schaafsma, G. F. Westerbeek and S. H. Yap. *Clin. Rec.*, 331
Rare submandibular swelling (Capillary haemangioma)—R. W. T. Slack, C. Milroy and A. Parker. *Clin. Rec.*, 632
Rational classification of angiofibromas of the post nasal space, A—S. C. Mishra, G. K. Shukla, N. Bhatia and M. C. Pant. *Orig. Art.*, 912
Recovery from sensorineural deafness in Wegener's granulomatosis—M. R. Clements, C. D. Mistry, A. O. Keith and R. T. Ramsden. *Clin. Rec.*, 515
Recurrent bilateral peripheral facial palsy—N. Stahl and T. Ferit. *Clin. Rec.*, 117
Recurrent laryngeal nerve palsy following heart-lung transplantation: three cases of vocal cord augmentation in the acute phase—G. E. Murty and M. C. F. Smith. *Clin. Rec.*, 968
Recurrent meningitis associated with meningioma of the mastoid cavity—R. J. Kelleher, J. A. M. Murray and P. D. Welsby. *Clin. Rec.*, 99
Recurrent meningitis in children due to inner ear abnormalities—R. E. Quiney, D. B. Mitchell, B. Djazeri and J. N. G. Evans. *Orig. Art.*, 473
Recurrent multiple epidermoid inclusion cysts following rhinoplasty—an unusual complication—M. Grocutt and M. F. Fatah. *Clin. Rec.*, 1214
Reliability of the House and Brackmann grading system for facial palsy—R. A. Evans, M. A. Harries, D. M. Baguley and D. A. Moffat. *Orig. Art.*, 1045
Repair of post-laryngectomy pharyngeal fistulae—J. S. Rubin. *Orig. Art.*, 302
Repair of tympanic membrane perforations using hyaluronic acid: An alternative to myringoplasty—L.-E. Stenfors. *Orig. Art.*, 39
Research worthwhile? Is—C. Booth. *Orig. Art.*, 351
Resection with laser and high frequency cutting loop in tracheo-bronchial diseases—P. Illum. *Orig. Art.*, 386
Results of surgery to the damaged facial nerve—P. A. Fagan and K. K. Loh. *Orig. Art.*, 567
Revealing C.T. examination in nasopharyngeal carcinoma, A—J. A. D. Annis, P. D. Phelps and C. B. Croft. *Rad. Focus*, 801
Rheumatoid nodule of the temporal bone—R. A. Hoffman and B. Horten. *Clin. Rec.*, 768
Right vocal cord paralysis after internal jugular vein cannulation—D. W. Sim and M. R. Robertson. *Clin. Rec.*, 424
Role and results of cortical mastoidectomy and endolymphatic sac surgery in Menière's disease—A. G. Kerr, J. G. Toner, G. J. McKee and G. D. L. Smyth. *Orig. Art.*, 1161
Role of irradiation in the suppression of parotid secretions—A. C. R. Robinson, G. G. Khoury and P. M. Robinson. *Orig. Art.*, 594
Role of masseter crossover flap in oropharyngeal reconstruction—R. M. Tiwari and G. B. Snow. *Orig. Art.*, 298
Role of post-operative electroneuronography in predicting facial nerve recovery after acoustic neuroma removal—G. R. Croxson, D. A. Moffat, D. G. Hardy and D. M. Baguley. *Orig. Art.*, 60
Round window reflex and oval window fistulae—D. S. Grewal. *Orig. Art.*, 562
R. Norris Wolfenden M.D: The medical episode—D. M. Damkaer. *Orig. Art.*, 1005

Second primary tumour following retinoblastoma—D. C. Berridge, A. Hitchcock, P. J. Bradley and L. Kapila. *Clin. Rec.* 690
Securing of suction drains in head and neck surgery—N. S. Violaris, S. Chang and M. W. Bridger. *Short Comm.*, 869
Sensorineural hearing loss in chronic otitis media—F. Cusimano, V. C. Cocita and A. D'Amico. *Orig. Art.*, 158
Sensorinrual deafness associated with IgA nephropathy—N. L. Ataya. *Clin. Rec.*, 412
Septic arthritis of the temporomandibular joint complicating otitis externa—H. G. Thomson. *Clin. Rec.*, 319
Serum antibodies against respiratory tract viruses. A prospective three-year follow-up from birth—G. Harsten, K. Prellner, B. Löfgren, J. Heldrup, O. Kalm and R. Kornfalt. *Orig. Art.*, 904
Serum enzymes in head and neck cancer. IV: 5-nucleotidase—H. Lal, L. Kumar, G. S. Kohli, A. Sharma and H. Goel. *Orig. Art.*, 200
Sex ratios in otosclerotic families—W. H. James. *Orig. Art.*, 1036
Sialadenoma papilliferum of the parotid gland—J. Kronenberg, A. Horowitz and G. Leventon. *Clin. Rec.*, 1089
Simple method to control laryngeal overspill in tracheostomized patients—S. M. Eisen. *Clin. Rec.*, 222
Snoring as a presenting feature of the Shy-Drager syndrome—J. A. McGlashan and D. G. Golding-Wood. *Clin. Rec.*, 610
Some observations on submucous diathermy—C. J. Woodhead, M. J. Wickham, G. J. C. Smelt and A. MacDonald. *Orig. Art.*, 1047
Spiral prominence epithelium—D. W. Sim. *Orig. Art.*, 1122
Spontaneous external carotid artery occlusion—J. A. Dixon. *Clin. Rec.*, 710
Spontaneous perforation of cervical oesophagus associated with oesophageal web—D. Beggs and W. E. Morgan. *Clin. Rec.*, 537
Spontaneous pneumomediastinum with alteration in voice—D. Sleeman and R. Turner. *Clin. Rec.*, 1222
Staging in cholesteatoma surgery—D. F. Austin. *Orig. Art.*, 143
Strategy and benefits of acoustic neuroma searching—D. A. Moffat, D. G. Hardy and D. M. Baguley. *Orig. Art.*, 51
Subarachnoid fat embolism complicating autologous fat grafting following translabyrinthine excision of acoustic neuroma—A. T. Reece, B. O'Reilly, E. Teasdale and N. V. Todd. *Clin. Rec.*, 870
Subglottic haemangioma in the infant: contribution by laser CO_2—M. Remacle, X. Declaye and A. Mayne. *Orig. Art.*, 930
Sublabial rhinotomy with septal transfixion as an approach to the nasal fossa, paranasal sinuses and nasopharynx—B. J. G. Bingham and M. V. Griffiths. *Orig. Art.*, 661
Subtotal laryngectomy with myomucosal shunt—H. R. Chandrachud, M. K. Chaurasia and K. P. Sinha. *Orig. Art.*, 504
Sudden sensorineural hearing loss as a presentation of HIV infection—C. I. Timon and M. A. Walsh. *Clin. Rec.*, 1071
Superficial malignant schwannoma of the face; a case for early radical surgery—N. R. Bleach, C. E. Keen and J. A. Dixon. *Clin. Rec.*, 316
Surgery for otitis media with effusion in children and its relationship to parental smoking—A. E. Hinton. *Orig. Art.*, 559
Surgical management of drooling in the neurologically damaged child—T. P. O'Dwyer, C. Timon and M. A. Walsh. *Orig. Art.*, 750
Surgical management of large glomus jugulare tumours: Infra- and trans-temporal approach—D. A. Moffat and D. G. Hardy. *Orig. Art.*, 1167
Surgical reduction of the inferior turbinate in children: extended follow-up—A. C. Thompson. *Orig. Art.*, 577
Swimming in chlorinated water and its effect on Eustachian tube function—D. W. Morgan and P. M. Shenoi. *Orig. Art.*, 257
Symmorphosis in relation to the relative dimensions of the glottic and tracheal area in the mammalian larynx—D. F. N. Harrison and S. Denny. *Orig. Art.*, 1053
Symptomatic mucosal cysts of the maxillary sinus: antroscopic treatment—E. W. Fisher, H. B. Whittet and C. B. Croft. *Orig. Art.*, 1184

Synchronous extra-parotid Warthin's tumour—H. Nishikawa, N. Kirkham and B. M. Hogbin. *Clin. Rec.*, 792
System for accelerated provision of hearing aids to residents of homes for the elderly, A—J. J. Hart, M. G. Jones, D. Robertshaw and L. M. Flood. *Orig. Art.*, 485

Temporal bone laboratory training for stapedectomy—N. J. Murrant and D. J. Gatland. *Orig. Art.*, 833
Temporal bone venous anomaly of surgical siginificance—J. C. Shotton, H. Ludman and T. C. S. Cox. *Clin. Rec.*, 101
Tensa retraction cholesteatoma: treatment and long-term results—T. Lau and M. Tos. *Orig. Art.*, 149
Tetanus presenting as dysphagia—M. Kasanzew, B. Browne and P. Dawes. *Clin. Rec.*, 229
Three cases of inter-sterno-costo-clavicular ossification associated with tonsillar infection—M. Furukawa, T. Miwa, M. Kamide, M. Sakumoto and R. Umeda. *Clin. Rec.*, 783
Thrombosis of the internal carotid artery due to soft palate injury—B. Mains and M. Nagle. *Clin. Rec.*, 796
Tinnitus in children with hearing loss—L. G. Viani. *Orig. Art.*, 1142
Tongue metastasis from carcinoma of the rectum—N. G. P. Davidson and A. Wilson. *Clin. Rec.*, 322
Tonsillar microflora—superficial surface *vs* deep—K. Uppal and A. S. Bais. *Orig. Art.*, 175
Total glossectomy: reconstruction and rehabilitation—R. M. Tiwari, A. J. Greven, A. B. M. F. Karim and G. B. Snow. *Orig. Art.*, 917
Total parotidectomy—a routine treatment of parotid gland swellings?—E. Alajmo, G. Polli and W. De Meester. *Orig. Art.*, 181
Transitional-type papilloma of the nasopharynx—B. J. O'Reilly and R. Zuk. *Clin. Rec.*, 528
Transmastoid extracranial repair of CSF leaks following acoustic neuroma resection—A. K. Robson, P. M. Clarke, M. Dilkes and A. R. Maw. *Orig. Art.*, 842
Transpalatal approach to the petrous apex—A.-E. Davis and P. E. Robin. *Clin. Rec.*, 94
Transplanted ossicles after two decades—J. Lang, A. G. Kerr and G. D. L. Smyth. *Orig. Art.*, 471
Traumatic CSF fistula presenting late as a middle ear effusion—J. T. Brandrick. *Clin. Rec.*, 97
Traumatic middle ear lesions: fracture of the malleus handle, aetiology, diagnosis and treatment—C. Brahe-Pedersen. *Orig. Art.*, 901
Treatment of auricular haematoma by silicone rubber splints—S. S. Nahl, S. E. Kent and A. R. Curry. *Orig. Art.*, 1146
Treatment of combined and critically low tracheal stenoses secondary to burn inhalation injury—C. I. Timon, D. McShane, E. McGovern and M. Walsh. *Clin. Rec.*, 1083
Treatment of glue ear in relation to radiographic palatal airway size: a predictor for outcome following adenoidectomy?—A. J. Parker and A. R. Maw. *Orig. Art.*, 66
Tuning forks: the problem of striking—J. Samuel and E. Eitelberg. *Orig. Art.*, 1
Two malignant melanomas in skin and tonsil during consecutive pregnancies—A. Walsted, J. Thomsen and P. L. Nielsen. *Clin. Rec.*, 780
Two-stage temporalis flap reconstruction for facial paralysis—B. D. Buchholtz, R. A. Mickel, J. K. Bredenkamp and R. W. Hutcherson. *Orig. Art.*, 672

Unexplained neurological problems after mastoid surgery—J. Y. Osammor and A. K. Baruah. *Orig. Art.*, 269
Unterberger's stepping test in acoustic neuroma—D. A. Moffat, M. L. L. Harries, D. M. Baguley and D. G. Hardy. *Orig. Art.*, 839
Unusual presentation of neurilemmoma in the cerebellopontine angle—S. K. De and A. Basu. *Clin. Rec.*, 508
Use of a Braunula for maxillary sinus irrigation—Y. Zohar, Y. P. Talmi, Y. Finkelstein and Y. Shem-Tov. *Orig. Art.*, 279
Use of a Foley catheter for short-term drainage in frontal sinus surgery—T. G. A. Ijaduola. *Orig. Art.*, 375

Validity of tympanometry in cases of confirmed otosclerosis—C. Muchnik, M. Hildesheimer, M. Rubinstein and Y. Gleitman. *Orig. Art.*, 36
Verification of a new test of endolymphatic hydrops—A. R. D. Thornton, G. Farrell, A. J. Phillips, N. P. Haacke and S. Rhys-Williams. *Orig. Art.*, 1136
Verrucous carcinoma of the maxillary antrum—M. P. Bacon, E. B. Chevretton, R. W. T. Slack and T. I. F. MacLeod. *Clin. Rec.*, 415
Vocal cord paralysis with Ebstein's anomaly—S. N. Krishnamurthy and K. O. Paulose. *Clin. Rec.*, 626

Wegener's granulomatosis: false positive anti-neutrophil cytoplasmic antibody test—B. Mains. *Clin. Rec.*, 524
Wegener's granulomatosis, subglottic stenosis and anti-neutrophil cytoplasm antibodies—T. J. Hoare, C. B. Croft, D. J. Howard, P. Rhys Evans and D. Jayne. *Orig. Art.*, 1187
Wildervanck's syndrome—unilateral Mondini dysplasia identified by computed tomography—P. D. B. West, A. Gholkar and R. T. Ramsden. *Clin. Rec.*, 408